

MACK

Equipped with five-step, slide-operated dimming control, Mack provides intuitive brightness selection within a sleek and minimalist design. Featuring a 180 degree rotating head shade and an arm that bows a full 83 degrees, Mack can fold, bend and twist to provide extra illumination to work surfaces that are tight on space. An integrated USB port housed in its base makes for easy device charging.



MACK Desk Light

FEATURES

- Powers on and off with a single touch.
- 5-point dimming adjusts brightness from 100%–25% with a simple finger slide gesture on dimming pad.
- Head shade rotates laterally 180° for superior articulation.
- Built-in USB-A port allows for device charging.

SPECIFICATIONS

ENERGY CONSUMPTION:
6.6 system watts

NUMBER OF LEDS:
24

LIGHT OUTPUT:
350 lumens

LED RATED LIFESPAN:
50,000 hours

COLOR TEMPERATURE:
4000K

COLOR RENDERING INDEX:
> 82

BRIGHTNESS ADJUSTABILITY:
5-step; 100%–25%

USB CHARGE PORT:
Type-A connector 5V, 1A max.

ARM OPTIONS:
single

POWER SUPPLY:
12-watt wall transformer

CORD:
6' 2" black

MATERIAL:
aluminum and plastic


CERTIFICATIONS:
ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4, FCC/ICES Class B

WARRANTY:
1 year

FINISH

GRAY

DIMENSIONS



MACK Desk Light

PHOTOMETRIC DATA

Footcandle outputs measured at 14" from the worksurface.

	18"	12"	6"	CL	6"	12"	18"
12"	7	15	25	-	26	15	8
6"	10	24	51	-	52	26	12
CL	12	30	69	100	72	33	14
6"	10	24	53	74	54	27	12
12"	8	15	27	34	28	16	9

SUSTAINABILITY NOTES

- Made with fully-recyclable aluminum and plastic. Please contact your local county or municipality to determine your local recycling options.
- Dimming included as an energy-saving feature
- Lower power consumption
- Mercury-free
- Potential LEED points. For more LEED information please visit <https://new.usgbc.org/leed-v41>

For more information about our products, please visit
lightcorp.com.

We're social!

Instagram and Facebook: [@lightcorp](#)

LinkedIn: [linkedin.com/company/light-corporation](https://www.linkedin.com/company/light-corporation)

CONTACT US

Factory + Headquarters

14800 172nd Avenue
Grand Haven, Michigan 49417

**For quotes, specifications, or general
product inquiries:**

800.526.5658 (option 1)
insidesales@lightcorp.com

**For orders, questions about existing
orders, or after sales care:**

800.526.5658 (option 2)
customerservice@lightcorp.com

www.LightCorp.com