


# TAZETTA LED

Our best-selling fluorescent shelf light is now available in a re-imagined, energy-smart fixture. Loaded with improvements, the new eco-friendly Tazetta LED performs brilliantly using almost half the wattage of its former model but still features the same slim profile, daisy-chaining capability, and finish varieties so popular in the original.

## FEATURES

- Vastly improved power consumption
- Exceptionally long life
- New magnet mounting option
- New high output option
- Mercury-free



# TAZETTA LED Under Shelf Light

## SPECIFICATIONS

**LENGTHS:**  
24", 36", 48"

**ENERGY CONSUMPTION:**  
see chart below

**LAMP:**  
T5 LED tube

**LIGHT OUTPUT:**  
see chart below

**PEAK FOOTCANDLES:**  
see charts next page

**LED RATED LIFESPAN:**  
> 50,000 hours

**COLOR TEMPERATURE:**  
3500K; 4000K also available

**COLOR RENDERING INDEX:**  
82+

**LENS:**  
prismatic; batwing also available

**REFLECTOR:**  
UV stable silver reflector

**CORD COLOR:**  
9' black; SW plug; exit center


**MATERIAL:**  
powder coated steel and plastic

**MOUNTING:**  
screw mount, magnet mount, or spring bar mount

**CERTIFICATIONS:**  
ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4; TAA

**WARRANTY:**  
5 years

## DIMENSIONS



	LUMENS		WATTAGE		LUMENS/WATT		ACTUAL LENGTH	SUGGESTED SHELF SIZE
	SO	HO*	SO	HO	SO	HO*		
<b>24"</b>	589	802	8.7	12.0	67.9	69.6	23.3"	30" – 36"
<b>36"</b>	776	1034	11.6	15.7	66.6	66.6	35.1"	42" – 48"
<b>48"</b>	784	1666	13.6	24.0	58.4	64.6	46.9"	54" – 60"

\* estimated values

## FINISHES

WHITE	GRAY	METALLIC SILVER
SOFT WHITE	PEWTER	METALLIC CHAMPAGNE
SILVER STAR	CHARCOAL	METALLIC DK. CHAMPAGNE
SAND	BLACK	

# TAZETTA LED Under Shelf Light

## PHOTOMETRIC DATA

Footcandle outputs for the 3500K tube, measured at 18" from the work surface.

### Standard output 24" Fixture

	18"	12"	6"	CL	6"	12"	18"
12"	11	16	23	27	25	19	12
6"	17	31	45	53	50	37	22
CL	25	45	69	<b>83</b>	78	57	34
6"	29	54	83	101	96	71	40
12"	43	46	66	82	76	56	32

### High output 24" Fixture

	18"	12"	6"	CL	6"	12"	18"
12"	11	18	24	29	27	21	14
6"	19	33	48	57	54	40	25
CL	28	51	77	<b>92</b>	86	64	38
6"	33	63	96	117	111	81	46
12"	27	50	74	90	84	60	35

### Standard output 36" Fixture

	18"	12"	6"	CL	6"	12"	18"
12"	13	18	23	26	25	21	16
6"	24	36	46	52	51	43	30
CL	37	59	78	<b>87</b>	83	67	48
6"	45	72	97	109	105	86	59
12"	37	58	75	84	82	68	47

### High output 36" Fixture

	18"	12"	6"	CL	6"	12"	18"
12"	15	22	26	29	28	24	18
6"	29	43	55	60	57	47	34
CL	47	74	97	<b>106</b>	100	81	56
6"	57	94	123	137	129	104	70
12"	45	72	93	103	98	79	54




### Standard output 48" Fixture

	18"	12"	6"	CL	6"	12"	18"
12"	14	18	20	22	22	20	17
6"	26	36	41	43	43	39	35
CL	43	60	71	<b>76</b>	74	67	55
6"	54	77	91	97	95	87	70
12"	40	57	68	73	71	65	52

### High output 48" Fixture

	18"	12"	6"	CL	6"	12"	18"
12"	30	41	48	51	50	47	38
6"	60	84	99	106	103	95	75
CL	98	140	168	<b>180</b>	175	158	125
6"	116	169	202	215	211	191	153
12"	84	120	144	154	150	136	109

## ACCESSORIES

		
Horizontal cord manager	Vertical cord manager	12" vertical cord manager

## SUSTAINABILITY NOTES

- Made with fully-recyclable steel and plastic. Please contact your local county or municipality to determine your local recycling options.
- High efficiency lens
- Lower power consumption
- Mercury-free
- Potential LEED points. For more LEED information please visit <https://new.usgbc.org/leed-v41>

# L / I G H T C O R P

## **Factory + Headquarters**

14800 172nd Avenue  
Grand Haven, Michigan 49417

800.526.5658  
insidesales@lightcorp.com  
customerservice@lightcorp.com

 [www.lightcorp.com](http://www.lightcorp.com)

 @lightcorp

 light-corporation

 @lightcorp