

TUCK

Available in four interlinkable lengths, Tuck stows neatly beneath cabinetry or shelving to provide luminous, customizable illumination, thanks to its capacitive touch dimming feature with last state memory.

Finish



Silver with
black endcaps



TUCK

Features


- Interlinkable
- Master control
- Automatic shut-off after 12 hours (\pm 15 mins.)
- Continuous dimming from 100%–15% with last state memory (when powered)

Specifications

| | |
|-------------------------------|----------------------------------|
| Lengths: | 12", 17", 31", 44" |
| Power consumption: | see chart below |
| Color temperature: | 3500K |
| Luminosity: | see chart below |
| Color rendering index: | 85 CRI |
| Rated lifespan: | > 52,000 hours |
| Number of LEDs: | see chart below |
| Power supply: | 9' (18W) or 11' (65W) black cord |

| | # of LEDs | Lumens | Wattage | System |
|-----|-----------|--------|---------|--------|
| 12" | 36 | 315 | 4.4 | 5.0 |
| 17" | 54 | 457 | 5.6 | 6.4 |
| 31" | 90 | 914 | 10.3 | 11.89 |
| 44" | 132 | 1289 | 14.3 | 16.23 |

Dimensions



Sustainability Notes

- Made with fully-recyclable anodized aluminum and plastic
- Energy-saving features such as auto shut-off and dimming included
- Lower power consumption
- Mercury-free
- Potential LEED points: **Interior Lighting** (possible 2 points), **Interior Lighting Controls** (possible 1 point). For more LEED information please visit <https://new.usgbc.org/leed-v41>

Certifications



ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4; FCC Part 15 Class B; CEC Title 20

Warranty

The Tuck fixture is warranted for a period of 5 years. Tuck power supplies are warranted for 1 year.

| | Actual Length* | Suggested Shelf Size |
|-----|----------------|----------------------|
| 12" | 13.6" | < 24" |
| 17" | 18.6" | 24"–36" |
| 31" | 32.6" | 42"–48" |
| 44" | 45.6" | 54"–60" |

* Actual length represents the fixture plus the on/off/dimmer pack.

TUCK

Photometric Data

Footcandle outputs measured at 18" from the work surface.

| 12" Fixture | 18" | 12" | 6" | CL | 6" | 12" | 18" | 17" Fixture | 18" | 12" | 6" | CL | 6" | 12" | 18" |
|-------------|-----|-----|----|-----------|----|-----|-----|-------------|-----|-----|----|-----------|----|-----|-----|
| 12" | 5 | 10 | 16 | 19 | 16 | 10 | 5 | 12" | 9 | 15 | 22 | 26 | 21 | 15 | 8 |
| 6" | 7 | 17 | 30 | 39 | 31 | 17 | 7 | 6" | 12 | 27 | 44 | 53 | 44 | 26 | 12 |
| CL | 9 | 21 | 41 | 54 | 41 | 21 | 9 | CL | 15 | 34 | 60 | 73 | 59 | 34 | 15 |
| 6" | 7 | 17 | 31 | 38 | 31 | 17 | 7 | 6" | 12 | 27 | 44 | 53 | 44 | 27 | 12 |
| 12" | 5 | 10 | 16 | 19 | 16 | 10 | 5 | 12" | 9 | 15 | 22 | 27 | 23 | 15 | 9 |

| 31" Fixture | 18" | 12" | 6" | CL | 6" | 12" | 18" | 44" Fixture | 18" | 12" | 6" | CL | 6" | 12" | 18" |
|-------------|-----|-----|----|------------|----|-----|-----|-------------|-----|-----|-----|------------|-----|-----|-----|
| 12" | 12 | 21 | 32 | 37 | 31 | 21 | 11 | 12" | 32 | 38 | 42 | 45 | 43 | 38 | 31 |
| 6" | 18 | 38 | 63 | 77 | 63 | 37 | 18 | 6" | 60 | 76 | 82 | 84 | 82 | 73 | 58 |
| CL | 21 | 49 | 87 | 105 | 86 | 49 | 21 | CL | 79 | 100 | 109 | 111 | 109 | 100 | 78 |
| 6" | 18 | 38 | 64 | 77 | 64 | 38 | 18 | 6" | 60 | 78 | 85 | 87 | 85 | 77 | 60 |
| 12" | 12 | 21 | 32 | 38 | 33 | 21 | 12 | 12" | 33 | 42 | 45 | 47 | 45 | 41 | 33 |