


Angus Power Hub



DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
SMALL	10.6"	2.3"	4"	11.25"	6"	14"	3 lbs.
MEDIUM	12.2"	2.3"	5.6"	23"	6.5"	14.5"	5 lbs.
LARGE	12.2"	2.3"	7.6"	23"	6.5"	14.5"	6.5 lbs.
SMALL + NIK	10.6"	2.3"	4"	23"	6.5"	14.5"	5.5 lbs.
MEDIUM + NIK	12.2"	2.3"	5.6"	23"	6.5"	14.5"	7 lbs.
LARGE + NIK	12.2"	2.3"	7.6"	23"	6.5"	14.5"	8.5 lbs.


To order, specify configuration + cord + options, if applicable.

	MODEL	DESCRIPTION	LIST PRICE
1. Select configuration	ANG.S	small Angus unit: AC power	\$425
	ANG.M60	medium Angus unit: AC + DC power; 60W	\$550
	ANG.M100	medium Angus unit: AC + DC power; 100W	\$575
	ANG.L120	large Angus unit: AC + DC power; 120W	\$585
	ANG.L200	large Angus unit: AC + DC power; 200W	\$615
2. Select cord	+6W	6' PVC cord in white	\$0
	+6B	6' PVC cord in black	\$0
	+10B	10' PVC cord in black	\$0
	+10W	10' PVC cord in white	\$0
3. Select integrated Nik unit configuration (optional)	NIK.AC.AC	Nik unit with 2x AC receptacles	\$245
	NIK.AC.UA	Nik unit with 1x AC receptacle, 2x USB-A ports	\$270
	NIK.AC.UA.UA	Nik unit with 1x AC receptacle, 4x USB-A ports	\$360
	NIK.AC.AC.UA	Nik unit with 2x AC receptacles, 2x USB-A ports	\$310
	NIK.AC.UA.AC	Nik unit with 1x AC receptacle, 2x USB-A ports, 1x AC receptacle	\$310
	NIK.AC.AC.AC	Nik unit with 3x AC receptacles	\$270
	NIK.UA.UC	Nik unit with 2x USB-A ports, 1x USB-C port	\$325
	NIK.AC.UA.UC	Nik unit with 1x AC receptacle, 2x USB-A ports, 1x USB-C port	\$375

Ordering notes:

- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- Tamper-resistant outlets are available as a special order. Please contact Inside Sales at 800.526.5658 for a lead time estimate.
- AC receptacles are available with a south orientation only (ground pin down).
- The maximum total number of AC receptacles available on any size Angus + Nik combination is eight.
- Straight strain relief is standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- If specifying an integrated Nik unit, every AC receptacle included within the Nik unit removes an AC receptacle from the back of the Angus unit.


Angus Power Hub



	MODEL	DESCRIPTION	LIST PRICE
3b. Select integrated Nik unit body finish (optional)	+ASB	ash finish	\$0
	+BKB	black finish	\$0
	+CYB	cayenne finish	\$0
	+CAB	clay finish	\$0
	+CLB	clementine finish	\$0
	+COB	coal finish	\$0
	+CRB	cranberry finish	\$0
	+CTB	currant finish	\$0
	+DJB	dijon finish	\$0
	+EGB	eggplant finish	\$0
	+FXB	flax finish	\$0
	+GOB	goldenrod finish	\$0
	+GRB	grape finish	\$0
	+GUB	gulf finish	\$0
	+JPB	juniper finish	\$0
	+KWB	kiwi finish	\$0
	+MAB	marine finish	\$0
	+MRB	merlot finish	\$0
	+OCB	ocean finish	\$0
	+PPB	paprika finish	\$0
	+PNB	pineapple finish	\$0
	+POB	porcelain finish	\$0
	+PKB	pumpkin finish	\$0
	+RNB	raisin finish	\$0
	+SAB	salmon finish	\$0
	+SVB	silver finish	\$0
	+SSB	silver sage finish	\$0
	+SKB	sky finish	\$0
+SPB	spruce finish	\$0	
+STB	storm finish	\$0	
+TLB	teal finish	\$0	
+TQB	tranquil finish	\$0	


Ordering notes:

- If specifying a integrated Nik option, please note that in-surface mounting is not available.
- The under-mount requires a surface of a minimum .75" thickness.
- Interconnect cords are available to connect LightCorp Revo, Voyage, Tino, and Reed Premier fixtures.
- California residents:



WARNING: This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Angus Power Hub



	MODEL	DESCRIPTION	LIST PRICE
3b. Select integrated Nik unit body finish (optional)	+WTB	white finish	\$0
3c. Specify integrated Nik AC receptacle color (if applicable)	+WTO	white receptacle	\$0
	+LNO	linen receptacle	\$0
	+BKO	black receptacle	\$0
3d. Specify integrated Nik cord (optional)	+6W	6' PVC cord in white	\$0
	+6B	6' PVC cord in black	\$0
	+10W	10' PVC cord in white	\$0
	+10B	10' PVC cord in black	\$0
	+6GRAPHITE	6' woven cord in graphite	\$40
	+6IVORY	6' woven cord in ivory	\$40
	+6YELLOW	6' woven cord in yellow	\$40
	+6INDIGO	6' woven cord in indigo	\$40
	+10GRAPHITE	10' woven cord in graphite	\$50
	+10IVORY	10' woven cord in ivory	\$50
	+10YELLOW	10' woven cord in yellow	\$50
	+10INDIGO	10' woven cord in indigo	\$50
3e. Specify integrated Nik AC receptacle rotation (if applicable)	+N	north rotation	\$0
	+E	east rotation	\$0
	+S	south rotation (standard)	\$0
	+W	west rotation	\$0
3f. Specify integrated Nik mounting	+UM	under surface mount	\$0
	+CM	clamp mount	\$0
SERVICE KITS			
Cord Managers	21625.000.000	adhesive cord manager, qty. 2	\$12
Interconnect Cord	21969.072.002	72" lighting interconnect cord, black	\$35