


# Nik Power Unit

Build-Your-Own



DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
2-TAP UNDER MOUNT	4.4"	2.3"	4.1"	14"	6"	11.25"	3.6 lbs.
2-TAP CLAMP MOUNT	4.4"	4.6"	4.4"	14"	6"	11.25"	4 lbs.
2-TAP IN-SURFACE MOUNT	4.4"	3.3"	3.7"	14"	6"	11.25"	3.4 lbs.
3-TAP UNDER MOUNT	6.1"	2.3"	4.1"	14"	6"	11.25"	4.2 lbs.
3-TAP CLAMP MOUNT	6.1"	4.6"	4.4"	14"	6"	11.25"	4.5 lbs.
3-TAP IN-SURFACE MOUNT	6.1"	3.3"	3.7"	14"	6"	11.25"	3.8 lbs.

To order, specify configuration + finish + receptacle color (if applicable) + cord + receptacle rotation (if applicable) + mounting.


	MODEL	DESCRIPTION	LIST PRICE
<b>1. Select configuration</b>	NIK.AC.AC	2x AC receptacles	\$245
	NIK.AC.UA	1x AC receptacle; 2x USB-A ports	\$270
	NIK.AC.UA.UA	1x AC receptacle; 4x USB-A ports	\$360
	NIK.AC.AC.UA	2x AC receptacles; 2x USB-A ports	\$310
	NIK.AC.UA.AC	2x AC receptacles; 2x USB-A ports	\$310
	NIK.AC.AC.AC	3x AC receptacles	\$270
	NIK.UA.UC	2x USB-A ports; 1x USB-C port	\$325
	NIK.AC.UA.UC	1x AC receptacle; 2x USB-A ports; 1x USB-C port	\$375
<b>2. Specify finish</b>	+.ASB	ash finish	\$0
	+.BKB	black finish	\$0
	+.CYB	cayenne finish	\$0
	+.CAB	clay finish	\$0
	+.CLB	clementine finish	\$0
	+.COB	coal finish	\$0
	+.CRB	cranberry finish	\$0
	+.CTB	currant finish	\$0
	+.DJB	dijon finish	\$0
	+.EGB	eggplant finish	\$0
	+.FXB	flax finish	\$0
	+.GOB	goldenrod finish	\$0

### Ordering notes:

- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- If selecting hardwire option for Nik, please note that the backplate is available in black only.
- AC receptacles can be specified with the default south orientation (ground pin down), or specified to be rotated north-facing (ground pin up), east-facing (ground pin on the right), or west-facing (ground pin on the left).
- Straight strain relief is standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- AC receptacles are not able to be custom painted.
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- The clamp mount applies to surfaces 0.75"-1.25" thick.
- Clamp mount does not extend beyond the back edge of the work surface.

# Nik Power Unit

Build-Your-Own



	MODEL	DESCRIPTION	LIST PRICE
<b>2. Specify finish</b>	+GRB	grape finish	\$0
	+GUB	gulf finish	\$0
	+JPB	juniper finish	\$0
	+KWB	kiwi finish	\$0
	+MAB	marine finish	\$0
	+MRB	merlot finish	\$0
	+OCB	ocean finish	\$0
	+PPB	paprika finish	\$0
	+PNB	pineapple finish	\$0
	+POB	porcelain finish	\$0
	+PKB	pumpkin finish	\$0
	+RNB	raisin finish	\$0
	+SAB	salmon finish	\$0
	+SVB	silver finish	\$0
	+SSB	silver sage finish	\$0
	+SKB	sky finish	\$0
	+SPB	spruce finish	\$0
	+STB	storm finish	\$0
	+TLB	teal finish	\$0
	+TQB	tranquil finish	\$0
+WTB	white finish	\$0	
<b>3. Specify AC receptacle color (if applicable)</b>	+WTO	white receptacle	\$0
	+LNO	linen receptacle	\$0
	+BKO	black receptacle	\$0
<b>4. Specify cord</b>	+6W	6' PVC cord in white	\$0
	+6B	6' PVC cord in black	\$0
	+10W	10' PVC cord in white	\$12
	+10B	10' PVC cord in black	\$12
	+10GRAPHITE	10' woven cord in graphite	\$50
	+10IVORY	10' woven cord in ivory	\$50

## Ordering notes:


- The in-surface mount is applicable to surfaces 0.75"-1.25" thick. For applications requiring a larger depth, please contact Inside Sales at 800.526.5658.
- California residents:



**WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# Nik Power Unit

Build-Your-Own



	MODEL	DESCRIPTION	LIST PRICE
<b>4. Specify cord</b>	+10YELLOW	10' woven cord in yellow	\$50
	+10INDIGO	10' woven cord in indigo	\$50
	+HW	hardwire	\$50
<b>5. Specify AC receptacle rotation</b>	+N	north rotation	\$0
	+E	east rotation	\$0
	+S	south rotation (standard)	\$0
	+W	west rotation	\$0
<b>6. Specify mounting</b>	+UM	under surface mount	\$0
	+CM	clamp mount	\$0
	+IM	in-surface mount	\$0
<b>7. Specify any options (if applicable)</b>	+TR	tamper-resistant outlets	\$12
<b>ACCESSORIES</b>			
<b>Cord Managers</b>	21625.000.000	adhesive cord manager, qty. 2	\$12