



GSA  
LIGHTING + POWER  
PRICE LIST

Pricing good thru September 30, 2024

**Standard Lead Time**

Another added value that we are proud to offer our customers is dependable and fast order fulfillment. Our standard lead time for most products is 10 days from order acknowledgment.

**SWIFT SHIP**


A select group of our products are now available to deliver as part of our Swift Ship Program which features a 5-day lead time from order acknowledgment. Products that qualify are listed below and are based on availability.

The listed lead times are for reference and are based on normal conditions that are subject to change at any time based on production schedules and component stock. To verify current lead times or for quantities greater than specified in the chart, please contact customerservice@lightcorp.com. If products of multiple lead times are ordered at once, they will all be sent at the speed of the product with the longest lead time.

Swift Ship Products	Max. Qty.	Swift Ship Lead Time
Piper	100	5-day
Reed Premier	400	5-day
Reed Premier w/ sensors	100	5-day
Nik	10	5-day

**Information on California Proposition 65**

California's Proposition 65 (Prop 65), also called the Safe Drinking Water and Toxic Enforcement Act, is a Right to Know law regarding Californians being able to make informed decisions to protect themselves from chemicals known to cause cancer, birth defects, or other reproductive harm. The law requires that all businesses provide a 'clear and reasonable warning' if one or more listed chemicals may be present within the product, even if in trace amounts. This warning must include at least one chemical present within the product. To comply with this law, a warning will appear on all LightCorp products in the form of a packaging label, in the following format shown below.



LightCorp products may contain traces of one or more of the 900+ listed chemicals. Exposure to these chemicals may occur during installation and/or use of LightCorp products and may be negligible or well within the "no significant risk" range. However, based upon knowledge regarding the presence of one or more listed chemicals, LightCorp has chosen to provide a warning without conducting exposure levels per product due to its complexity.

Washing your hands after handling these products can reduce your risk of exposure. Exposure can include the following:

- Power supply cords, wiring and other parts made of PVC material may expose you to chemicals including phthalates like DINP, DEHP and/or lead
- Product switches, lens material or other plastic parts, may expose you to chemicals including bisphenol A, phthalates like DINP, DEHP and/or polychlorinated biphenyls (PCB)
- Unpainted galvanized sheet metal parts, present on some underbin products and/or mounting brackets, may expose you to chemicals including lead and/or nickel
- Powder coat paint, although cured during the painting process, may expose you to chemicals including bisphenol A, nickel oxide, 2-mercaptobenzothiazole, 2-methylimidazole, carbon black and/or titanium dioxide. (Exposure to paint chemicals exists only if the paint were to flake or the product was sanded and particles were to become airborne)
- Fluorescent lamps, when broken, can expose you to chemicals including mercury

For more information, go to <http://www.P65Warnings.ca.gov>.

# Capabilities Statement

## COMPANY SUMMARY

LightCorp delivers a robust range of lighting and power products for government agencies. For over 30 years, we've put all our energy into understanding how lighting empowers a person's work, influences their mood, and helps them focus. We love the beauty of it, the science behind it, and its impact on everyday life. It is this passion that defines everything we do and drives us to create vibrant, colorful, and imaginative solutions that brighten the world where we live and work.

LightCorp is a GSA contract holder with the capability and capacity to serve government agencies. We offer highly functional, environmentally friendly products that are TAA compliant and assembled in the U.S.A., giving federal, state and local agencies the value and performance required for life cycle efficiencies.

## MANUFACTURING PROCESS

LightCorp manufacturing processes are lean, reliable, flexible and proven; our highly functional lighting products are built to last and delivered on time. We implement high standards through an ISO 9001 certified Quality Management System. Additionally, ISO 14001 certified Environmental Management System ensures our manufacturing and disposal processes are environmentally sound.

## PRODUCT DEVELOPMENT

Our product development process includes rigorous procedures that result in short lead times and smart products that last. LightCorp employs the agile methodology of Scrum project management to oversee critical steps, from ideation through launch.

## CAPABILITIES

Office Lighting & Power Distribution Products: LED task and personal task lighting products that balance illumination and glare and desk-mounted units offering AC and USB power.


**Name** Light Corporation  
**UEI** Q31KK8QLRRH6  
**CAGE** OSWR1  
**Type** Small Business  
**POC** Tammy Felcoski  
**Contact** tammyf@lightcorp.com, 616.842.3111

## NAICS

---

<b>335132</b>	Commercial, Industrial, and Institutional Electric Lighting Fixture Manufacturing
<b>332439</b>	Other Metal Container Manufacturing
<b>335131</b>	Residential Electric Lighting Fixture Manufacturing
<b>335931</b>	Current-Carrying Wiring Device Manufacturing

# Revo Desk Light




DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
SINGLE ARM	6"	15.5"	14.375"	35"	9"	10"	8.3 lbs.
DOUBLE ARM	6"	15.5"	17.688"	35"	9"	10"	8.6 lbs.

To order, specify fixture arm + finish + mounting + options (if applicable).

	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Select fixture</b>	REVO.S	Single arm fixture	\$128.70
	REVO.D	Double arm fixture	\$140.25
<b>2. Specify finish</b>	+.ASH	ash finish	\$0
	+.BLACK	black finish	\$0
	+.CAYENNE	cayenne finish	\$0
	+.CLAY	clay finish	\$0
	+.CLEMENTINE	clementine finish	\$0
	+.COAL	coal finish	\$0
	+.CRANBERRY	cranberry finish	\$0
	+.CURRANT	currant finish	\$0
	+.DIJON	dijon finish	\$0
	+.EGGPLANT	eggplant finish	\$0
	+.FLAX	flax finish	\$0
	+.GOLDENROD	goldenrod finish	\$0
	+.GRAPE	grape finish	\$0
	+.GULF	gulf finish	\$0
	+.JUNIPER	juniper finish	\$0
	+.KIWI	kiwi finish	\$0
	+.MARINE	marine finish	\$0
	+.MERLOT	merlot finish	\$0
	+.OCEAN	ocean finish	\$0
	+.PAPRIKA	paprika finish	\$0
+.PINEAPPLE	pineapple finish	\$0	
+.PORCELAIN	porcelain finish	\$0	

**Ordering notes:**

- All mounting options are fixed to the fixture arm as a theft-deterrent feature and are not interchangeable.
- The clamp mount applies to surfaces 0.9"-1.875" thick.
- Surface mount requires a 2.125" diameter hole be drilled into the work surface. Surfaces can be 1.2" thick maximum.
- When specifying panel mount or slat wall mount, the office furniture system must be specified. Please call Inside Sales at 800.526.5658 for system mounting availability.
- California residents


 **WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Revo Desk Light



	MODEL	DESCRIPTION	GSA NET PRICE
<b>2. Specify finish</b>	+.PUMPKIN	pumpkin finish	\$0
	+.RAISIN	raisin finish	\$0
	+.SALMON	salmon finish	\$0
	+.SILVER	silver finish	\$0
	+.SILVERSAGE	silver sage finish	\$0
	+.SKY	sky finish	\$0
	+.SPRUCE	spruce finish	\$0
	+.STORM	storm finish	\$0
	+.TEAL	teal finish	\$0
	+.TRANQUIL	tranquil finish	\$0
	+.WHITE	white finish	\$0
<b>3. Specify mounting</b>	+.FS	freestanding base	\$0
	+.FS.USB	freestanding base with USB	\$33
	+.SM	surface mount	\$0
	+.CM	clamp mount	\$0
	+.SW	slat wall mount; *specify office furniture system	\$0
	+.PM	panel mount; *specify office furniture system	\$0
<b>4. Add options</b>	+.OSV	occupancy sensor	\$29.70
	+.DUO	occupancy sensor + freestanding base with USB	\$52.80

# Voyage Desk Light




DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
SINGLE ARM	6"	15.5"	17.875"	35"	9"	10"	8.3 lbs.
DOUBLE ARM	6"	15.5"	18.625"	35"	9"	10"	8.6 lbs.

To order, specify fixture arm + finish + mounting + options (if applicable).


	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Select fixture</b>	VLED.S	Single arm fixture	\$128.70
	VLED.D	Double arm fixture	\$140.25
<b>2. Specify finish</b>	+.ASH	ash finish	\$0
	+.BLACK	black finish	\$0
	+.CAYENNE	cayenne finish	\$0
	+.CLAY	clay finish	\$0
	+.CLEMENTINE	clementine finish	\$0
	+.COAL	coal finish	\$0
	+.CRANBERRY	cranberry finish	\$0
	+.CURRANT	currant finish	\$0
	+.DIJON	dijon finish	\$0
	+.EGGPLANT	eggplant finish	\$0
	+.FLAX	flax finish	\$0
	+.GOLDENROD	goldenrod finish	\$0
	+.GRAPE	grape finish	\$0
	+.GULF	gulf finish	\$0
	+.JUNIPER	juniper finish	\$0
	+.KIWI	kiwi finish	\$0
	+.MARINE	marine finish	\$0
	+.MERLOT	merlot finish	\$0
	+.OCEAN	ocean finish	\$0
	+.PAPRIKA	paprika finish	\$0
+.PINEAPPLE	pineapple finish	\$0	
+.PORCELAIN	porcelain finish	\$0	

**Ordering notes:**

- All mounting options are fixed to the fixture arm as a theft-deterrent feature and are not interchangeable.
- The clamp mount applies to surfaces 0.9"-1.875" thick.
- Surface mount requires a 2.125" diameter hole be drilled into the work surface. Surfaces can be 1.2" thick maximum.
- When specifying panel mount or slat wall mount, the office furniture system must be specified. Please call Inside Sales at 800.526.5658 for system mounting availability.
- California residents


 **WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Voyage Desk Light



	MODEL	DESCRIPTION	GSA NET PRICE
<b>2. Specify finish</b>	+.PUMPKIN	pumpkin finish	\$0
	+.RAISIN	raisin finish	\$0
	+.SALMON	salmon finish	\$0
	+.SILVER	silver finish	\$0
	+.SILVERSAGE	silver sage finish	\$0
	+.SKY	sky finish	\$0
	+.SPRUCE	spruce finish	\$0
	+.STORM	storm finish	\$0
	+.TEAL	teal finish	\$0
	+.TRANQUIL	tranquil finish	\$0
	+.WHITE	white finish	\$0
<b>3. Specify mounting</b>	+.FS	freestanding base	\$0
	+.FS.USB	freestanding base with USB	\$33
	+.SM	surface mount	\$0
	+.CM	clamp mount	\$0
	+.SW	slat wall mount; *specify office furniture system	\$0
	+.PM	panel mount; *specify office furniture system	\$0
<b>4. Add options</b>	+.OSV	occupancy sensor	\$29.70
	+.DUO	occupancy sensor + freestanding base with USB	\$52.80

# Piper Desk Light




DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
PIPER	7.5"	18.25"	18.5"	19"	8"	8"	3.4 lbs.

To order, specify fixture + accessories (if applicable).

	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Select fixture</b>	PIPER	Piper fixture	\$86.79
<b>2. Specify accessories</b>	+CE	3' cord extender	\$3.63

**Ordering notes:**


- The arm has a 15" reach from the front of the base to the fixture head.
- The cord extender accessory extends the total cord length to 7' 11" and is available in black only.
- This fixture is not field serviceable.
- California residents:



**WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



Pippa by Most Modest™




DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
PIPPA	6.3"	13.3"	6.3"	14.5"	7.5"	7.5"	4.5 lbs.

To order, specify fixture + accessories (if applicable).

	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Select model</b>	PIPPA.12.FS	12" personal lamp	\$189.75
<b>2. Select color</b>	+DEEPSPACE		\$0
	+DESERTROSE		
	+FOG		
	+LINEN		
	+MOSS		
	+STONE		
	+TERRACOTTA		


**Ordering notes:**

- California residents:



**WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Reed Premier Under Shelf Light



DIMENSIONS	PRODUCT						CARTON			
	Standard			With Sensor						
	W	H	D	W	H	D	W	H	D	WT.
17" FIXTURES	16.4"	.5"	2"	17.2"	.76"	2"	35"	2.5"	2.5"	1.1 lbs.
24" FIXTURES	23.3"	.5"	2"	24.1"	.76"	2"	35"	2.5"	2.5"	1.3 lbs.
31" FIXTURES	30.1"	.5"	2"	30.9"	.76"	2"	35"	2.5"	2.5"	1.4 lbs.
44" FIXTURES	43.7"	.5"	2"	44.5"	.76"	2"	48.38"	2.5"	2.5"	2.8 lbs.
58" FIXTURES	57.4"	.5"	2"	58.2"	.76"	2"	63"	2.5"	2.5"	3.5 lbs.

To order, specify finish + size + cord color + sensor (if applicable).

### STAND ALONE OR STARTER FIXTURES

	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Specify finish</b>	RP.SV	Silver finish	\$0
	RP.BK	Black finish	\$0
<b>2. Specify size</b>	+17SO.PS18	17" stand alone	\$86.79
	+17SO.PS60	17" starter (for interlinking)	\$96.69
	+24SO.PS18	24" stand alone	\$109.89
	+24SO.PS60	24" starter (for interlinking)	\$119.79
	+31SO.PS60	31" stand alone/starter	\$144.87
	+44SO.PS60	44" stand alone/starter	\$184.80
	+58SO.PS60	58" stand alone/starter	\$198.66
<b>3. Specify cord color</b>	+W	white cord	\$0
	+B	black cord	\$0
<b>4. Select sensor (optional)</b>	+IOS	integrated occupancy sensor	\$46.20
	+IVS	integrated vacancy sensor	\$46.20
	+MOS	add-on occupancy sensor	\$49.50
	+MVS	add-on vacancy sensor	\$49.50

### Ordering notes:

- If automatic shut-off feature is not desired, please specify by contacting Inside Sales at (800) 526-5658.
- If a 4000K color temperature is desired, contact Inside Sales at (800) 526-5658 for lead time.
- Includes mounts for wood/ laminate or magnetic application.
- Two adhesive cord managers included with each fixture. Additional cord managers are available for purchase.
- 8" and 30" interlinking cords are included with adder fixtures.
- Allow 2" on each end for interlink or power supply plug connection.
- Modular sensor includes 1" end-to-end connector and adds 3" to the total fixture length.

## Reed Premier Under Shelf Light



### ADDER FIXTURES

	MODEL	DESCRIPTION	GSA NET PRICE
1. Specify finish	RP.SV	Silver finish	\$0
	RP.BK	Black finish	\$0
2. Specify size	+17SO.ICR	17" adder	\$68.64
	+24SO.ICR	24" adder	\$91.74
	+31SO.ICR	31" adder	\$116.82
	+44SO.ICR	44" adder	\$156.75
	+58SO.ICR	58" adder	\$170.61
3. Specify cord color	+W	white cord	\$0
	+B	black cord	\$0

### ACCESSORIES

Sensor	OSRP.SV	Add-on occupancy sensor kit, silver finish, black cord	\$49.50
	OSRP.BK	Add-on occupancy sensor kit, black finish, black cord	\$49.50
Mounting	AM	magnetic angle mount, 2 adhesive cord managers	\$5.94
	UMRP	mounting kit: 2 brackets for wood/laminate or magnetic application, 2 adhesive cord managers	\$5.94
	20793.000.003	power supply support bracket for wood/laminate application, white finish	\$11.22
	20793.000.078	power supply support bracket for wood/laminate application, black finish	\$11.22
	18029.000.003	magnetic power supply support bracket, white finish	\$11.22
	18029.000.078	magnetic power supply support bracket, black finish	\$11.22
	18028.000.003	angle mount bar for wood/laminate application, white finish	\$11.22
	18028.000.078	angle mount bar for wood/laminate application, black finish	\$11.22
Interlinking	ICR1	1" end-to-end connector	\$3.96
	ICR8	8" interlink cord	\$3.96
	ICR30	30" interlink cord	\$3.96
	ICR54	54" interlink cord	\$5.61

### Ordering notes:

- California residents:



**WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).


## Reed Premier Under Shelf Light



### ACCESSORIES

	MODEL	DESCRIPTION	GSA NET PRICE
<b>Power Supplies</b>	PS18.W	18-watt, 9' cord; in white	\$19.14
	PS18.B	18-watt, 9' cord; in black	\$19.14
	PS60.W	65-watt, 11' cord; in white	\$27.39
	PS60.B	65-watt, 11' cord; in black	\$27.39
<b>Cord Managers</b>	CMAD	adhesive horizontal cord manager, qty. 2; in silver	\$1.98
	CMMM	magnetic horizontal cord manager, qty. 2; in chrome	\$3.96
	CMPC	panel clip cord manager, qty. 2; in black	\$1.98
	17997.017.003	17" vertical cord manager; qty. 1; in white	\$8.91

# Nik Power Unit




DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
2-TAP UNDER MOUNT	4.4"	2.3"	4.1"	14"	6"	11.25"	3.6 lbs.
2-TAP CLAMP MOUNT	4.4"	4.6"	4.4"	14"	6"	11.25"	4 lbs.
2-TAP IN-SURFACE MOUNT	4.4"	3.3"	3.7"	14"	6"	11.25"	3.4 lbs.
3-TAP UNDER MOUNT	6.1"	2.3"	4.1"	14"	6"	11.25"	4.2 lbs.
3-TAP CLAMP MOUNT	6.1"	4.6"	4.4"	14"	6"	11.25"	4.5 lbs.
3-TAP IN-SURFACE MOUNT	6.1"	3.3"	3.7"	14"	6"	11.25"	3.8 lbs.

To order, specify configuration + finish + receptacle color (if applicable) + cord + receptacle rotation (if applicable) + mounting.

	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Select configuration</b>	NIK.AC.AC	2x AC receptacles	\$80.85
	NIK.AC.UA	1x AC receptacle; 2x USB-A ports	\$89.10
	NIK.AC.UA.UA	1x AC receptacle; 4x USB-A ports	\$118.80
	NIK.AC.AC.UA	2x AC receptacles; 2x USB-A ports	\$102.30
	NIK.AC.UA.AC	2x AC receptacles; 2x USB-A ports	\$102.30
	NIK.AC.AC.AC	3x AC receptacles	\$89.10
	NIK.UA.UC	2x USB-A ports; 1x USB-C port	\$107.25
	NIK.AC.UA.UC	1x AC receptacle; 2x USB-A ports; 1x USB-C port	\$123.75
<b>2. Specify finish</b>	+ASB	ash finish	\$0
	+BKB	black finish	\$0
	+CYB	cayenne finish	\$0
	+CAB	clay finish	\$0
	+CLB	clementine finish	\$0
	+COB	coal finish	\$0
	+CRB	cranberry finish	\$0
	+CTB	currant finish	\$0
	+DJB	dijon finish	\$0
	+EGB	eggplant finish	\$0
	+FXB	flax finish	\$0
+GOB	goldenrod finish	\$0	


**Ordering notes:**

- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- The clamp mount applies to surfaces 0.75"-1.25" thick.
- California residents:




**WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Nik Power Unit




	MODEL	DESCRIPTION	GSA NET PRICE
<b>2. Specify finish</b>	+GRB	grape finish	\$0
	+GUB	gulf finish	\$0
	+JPB	juniper finish	\$0
	+KWB	kiwi finish	\$0
	+MAB	marine finish	\$0
	+MRB	merlot finish	\$0
	+OCB	ocean finish	\$0
	+PPB	paprika finish	\$0
	+PNB	pineapple finish	\$0
	+POB	porcelain finish	\$0
	+PKB	pumpkin finish	\$0
	+RNB	raisin finish	\$0
	+SAB	salmon finish	\$0
	+SVB	silver finish	\$0
	+SSB	silver sage finish	\$0
	+SKB	sky finish	\$0
	+SPB	spruce finish	\$0
	+STB	storm finish	\$0
	+TLB	teal finish	\$0
	+TQB	tranquil finish	\$0
+WTB	white finish	\$0	
<b>3. Specify AC receptacle color (if applicable)</b>	+WTO	white receptacle	\$0
	+LNO	linen receptacle	\$0
	+BKO	black receptacle	\$0
<b>4. Specify cord</b>	+6W	6' PVC cord in white	\$0
	+6B	6' PVC cord in black	\$0
	+10W	10' PVC cord in white	\$3.96
	+10B	10' PVC cord in black	\$3.96
	+10GRAPHITE	10' woven cord in graphite	\$16.50
	+10IVORY	10' woven cord in ivory	\$16.50

# Nik Power Unit



	MODEL	DESCRIPTION	GSA NET PRICE
<b>4. Specify cord</b>	+10YELLOW	10' woven cord in yellow	\$16.50
	+10INDIGO	10' woven cord in indigo	\$16.50
	+.HW	hardwire	\$16.50
<b>5. Specify AC receptacle rotation</b>	+.N	north rotation	\$0
	+.E	east rotation	\$0
	+.S	south rotation (standard)	\$0
	+.W	west rotation	\$0
<b>6. Specify mounting</b>	+.UM	under surface mount	\$0
	+.CM	clamp mount	\$0
	+.IM	in-surface mount	\$0
<b>7. Specify any options</b>	+.TR	tamper-resistant outlets	\$4.95
<b>ACCESSORIES</b>			
<b>Cord Managers</b>	21625.000.000	adhesive cord manager, qty. 2	\$3.96

# Nik+ Power Combo



DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
2-TAP CLAMP MOUNT	4.4"	2.3"	4.1"				
2-TAP UNDER MOUNT	4.4"	4.6"	4.4"				
3-TAP CLAMP MOUNT	6.1"	2.3"	4.1"				
3-TAP UNDER MOUNT	6.1"	4.6"	4.4"				
4-OUTLET POWER STRIP	13"	1.95"	1.95"				
5-OUTLET POWER STRIP	15"	1.95"	1.95"				

To order, specify Nik configuration + Nik body finish + Nik receptacle color + Nik cord + Nik receptacle rotation + Nik mounting + power strip size + power strip finish/cord color + options (if applicable)..


	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Select Nik configuration</b>	NIK.AC.AC	2x AC receptacles	\$80.85
	NIK.AC.UA	1x AC receptacle; 2x USB-A ports	\$89.10
	NIK.AC.UA.UA	1x AC receptacle; 4x USB-A ports	\$118.80
	NIK.AC.AC.UA	2x AC receptacles; 2x USB-A ports	\$102.30
	NIK.AC.UA.AC	2x AC receptacles; 2x USB-A ports	\$102.30
	NIK.AC.AC.AC	3x AC receptacles	\$89.10
	NIK.UA.UC	2x USB-A ports; 1x USB-C port	\$107.25
	NIK.AC.UA.UC	1x AC receptacle; 2x USB-A ports; 1x USB-C port	\$123.75
<b>2. Specify Nik finish</b>	+ASB	ash finish	\$0
	+BKB	black finish	\$0
	+CYB	cayenne finish	\$0
	+CAB	clay finish	\$0
	+CLB	clementine finish	\$0
	+COB	coal finish	\$0
	+CRB	cranberry finish	\$0
	+CTB	currant finish	\$0
	+DJB	dijon finish	\$0
	+EGB	eggplant finish	\$0
	+FXB	flax finish	\$0
	+GOB	goldenrod finish	\$0

**Ordering notes:**

- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- Custom configurations available. Please contact Inside Sales at 800.526.5658 for more information and estimate on lead time.
- Power strip cords will match finish color of the power strip.
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- AC receptacles on the Nik unit can be specified with the default south orientation (ground pin down), or specified to be rotated north-facing (ground pin up), east-facing (ground pin on the right), or west-facing (ground pin on the left).
- The Nik unit features a straight strain relief as standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- AC receptacles are not able to be custom painted.
- The clamp mount on the Nik unit applies to surfaces 0.75"-1.25" thick.




## Nik+ Power Combo



	MODEL	DESCRIPTION	GSA NET PRICE
<b>2. Specify Nik finish</b>	+GRB	grape finish	\$0
	+GUB	gulf finish	\$0
	+JPB	juniper finish	\$0
	+KWB	kiwi finish	\$0
	+MAB	marine finish	\$0
	+MRB	merlot finish	\$0
	+OCB	ocean finish	\$0
	+PPB	paprika finish	\$0
	+PNB	pineapple finish	\$0
	+POB	porcelain finish	\$0
	+PKB	pumpkin finish	\$0
	+RNB	raisin finish	\$0
	+SAB	salmon finish	\$0
	+SVB	silver finish	\$0
	+SSB	silver sage finish	\$0
	+SKB	sky finish	\$0
	+SPB	spruce finish	\$0
	+STB	storm finish	\$0
	+TLB	teal finish	\$0
	+TQB	tranquil finish	\$0
+WTB	white finish	\$0	
<b>3. Specify Nik AC receptacle color (if applicable)</b>	+WTO	white receptacle	\$0
	+LNO	linen receptacle	\$0
	+BKO	black receptacle	\$0
<b>4. Specify Nik cord</b>	+6W	6' PVC cord in white	\$3.96
	+6B	6' PVC cord in black	\$3.96


**Ordering notes:**

- Clamp mount does not extend beyond the back edge of the work surface.
- California residents:




**WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Nik+ Power Combo



	MODEL	DESCRIPTION	GSA NET PRICE
<b>5. Specify Nik AC receptacle rotation</b>	+N	north rotation	\$0
	+E	east rotation	\$0
	+S	south rotation (standard)	\$0
	+W	west rotation	\$0
<b>6. Specify Nik mounting</b>	+UM	under surface mount	\$0
	+CM	clamp mount	\$0
<b>7. Specify power strip size</b>	+P4	13" / 4 receptacles	\$47.85
	+P5	15" / 5 receptacles	\$52.80
<b>8. Specify power strip finish</b>	+6W	white finish / 6' white cord	\$0
	+6B	black finish / 6' black cord	\$0
<b>9. Specify power strip options (if applicable)</b>	+CB	circuit breaker	\$16.50
<b>ACCESSORIES</b>			
<b>Cord Managers</b>	21625.000.000	adhesive cord manager, qty. 2	\$3.96

# Linus Power Strip




DIMENSIONS	PRODUCT			CARTON			
	W	H	D	W	H	D	WT.
21"	21"	1.95"	1.95"	26"	2.5"	9"	4.2 lbs.
48"	48"	1.95"	1.95"	53"	2.5"	9"	7.6 lbs.
60"	60"	1.95"	1.95"	65"	2.5"	9"	9 lbs.

To order, specify length + finish + cord length + options (if applicable).

	MODEL	DESCRIPTION	GSA NET PRICE
<b>1. Specify finish</b>	LIN.WT	white body/black receptacles	\$0
	LIN.BK	black body/black receptacles	\$0
<b>2. Specify length</b>	+21.8T	21" length	\$77.55
	+48.8T	48" length	\$123.75
	+60.8T	60" length	\$127.05
<b>3. Specify cord length</b>	+6	6' cord	\$0
	+10	10' cord	\$3.30
<b>4. Specify option (if applicable)</b>	+TR	tamper-resistant outlets	\$4.95

**Ordering notes:**

- Custom lengths available. Please contact Inside Sales at 800.526.5658 for more information and estimate on lead time.
- Cord color will match body finish
- Tamper-resistant outlets available as an option..
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- California residents:



**WARNING:** This product may expose you to chemicals including DEHP and/or lead which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Terms & Conditions

1. **SPECIAL ITEM NUMBERS:** SIN # 3FURNISH Commercial Office Furnishings (SBSA)
2. **MAXIMUM ORDER LIMITATION:** \$250,000 (All SIN numbers)
3. **MINIMUM ORDER LIMITATION:** \$50
4. **GEOGRAPHIC COVERAGE:** Covers the forty eight (48) contiguous states of the United States including the District of Columbia; delivery will be made to port of embarkation to Alaska, Puerto Rico, and Hawaii.
5. **POINT OF PRODUCTION:** Grand Haven, Michigan, USA
6. **DISCOUNT:** Prices are shown Net Government Price (discounts already deducted)
7. **QUANTITY DISCOUNT:** Additional 2% discount for purchases at \$20,000 (off standard net).
8. **PAYMENT TERMS:** Net 30 days, 1-1/2% interest per month will be added to past due accounts.
9. **GOVERNMENT CREDIT CARD:** Accepted. No cash discounts on credit card purchase.
10. **TERMS AND CONDITIONS OF CREDIT CARD:** At or below the micro-purchase threshold.
11. **FOREIGN TERMS:** N/A
12. **TIME OF DELIVERY:** 14-60 days after receipt of order
13. **EXPEDITED DELIVERY:** All items available for expedited delivery. Overnight & 2nd day delivery available upon request. For urgent requirements, please contact Light Corporation Customer Service.
14. **F.O.B. POINT:** F.O.B. Destination
15. **ORDERING ADDRESS:** Light Corporation, 14800 172nd Avenue Grand Haven, MI 49417 Phone: 800.544.4899 Fax: 616.846.2144
16. **PAYMENT ADDRESS:** Light Corporation, 21998 Network Place Chicago, IL 60673-1219
17. **EXPORT PACKING CHARGES:** Quoted upon request
18. **RENTAL TERMS:** N/A
19. **INSTALLATION TERMS:** N/A
20. **CANCELLATION:** Cancellation of special orders will not be accepted after 24 hours from order entry.
21. **WARRANTY:** Revo, Voyage, & Reed Premier are warranted for a period of 10 years from date of manufacture. The LED power supply for all LED lighting elements is warranted for a period of 5 years. Piper is warranted for a period of 3 years from the date of manufacture, excluding power supply. Nik and Nik+ are warranted for a period of 2 years from the date of manufacture. Note that LED products are not field serviceable. If a defect occurs to an LED product during its warranty period and upon approval from a Light Corporation representative, the product must be returned for repair or replacement.
22. **RETURNED GOODS:** Product returned to Light Corporation in Grand Haven, Michigan, must be accompanied by an RMA number, which is issued by the Customer Service Department. Any product returned without such authorization will be returned to sender, unopened, and at the original buyer's expense. A restocking charge of 20% will be applied to any non-warranty return.
23. **ENVIRONMENTAL ATTRIBUTES:** Energy efficient products, ISO 14001 certified Environmental Management System, use of occupancy sensors and dimmers in task lights
24. **LIST OF DEALERS:** Please contact Light Corporation for the name of your nearest authorized dealer.
25. **FED ID:** 38-2696632 **UEI:** Q31KK8QLRRH6
26. **CENTRAL CONTACT REGISTRATION:** Light Corporation is registered.
27. **FOR ADDITIONAL INFORMATION:** LightCorp warranty and terms and conditions documents can be found at [www.LightCorp.com](http://www.LightCorp.com).

**GENERAL SERVICE ADMINISTRATION**  
**Federal Supply Service**  
**Authorized Federal Supply Schedule Price List**

Business size: Small  
Price list effective: 4/2022  
Contract number: GS-27F-0001V  
Contract period: October 1, 2008 - September 30, 2028  
Fed ID: 38-2696632  
UEI: Q31KK8QLRRH6  
Cage ITEM NO.: OSWR1

Prices shown herein are net delivered.  
Schedule 72 Part II - Furnishings FSC 6230



For more information on ordering from Federal Supply Schedules go to [fss.gsa.gov](http://fss.gsa.gov) and click on the FSS Schedules. Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!; a menu-driven database system. The internet address for GSA Advantage! is [GSAadvantage.gov](http://GSAadvantage.gov).

LightCorp is an ISO 14001 & ISO 9001 registered firm and each product is compliant with UL standards.

Have questions or need more information on our products? We're happy to help! Contact us at (800) 526-5658 anytime Monday through Friday from 7:30 AM – 5:00 PM (EST) for assistance.

## L / G H T C O R P

**Factory + Headquarters**  
14800 172nd Avenue  
Grand Haven, Michigan 49417

800.526.5658  
[insidesales@lightcorp.com](mailto:insidesales@lightcorp.com)  
[customerservice@lightcorp.com](mailto:customerservice@lightcorp.com)

 [www.lightcorp.com](http://www.lightcorp.com)

 [@lightcorp](https://www.facebook.com/lightcorp)

 [light-corporation](https://www.linkedin.com/company/light-corporation)

 [@lightcorp](https://www.instagram.com/lightcorp)