

LIGHTCORP



# GSA Price List

Effective 10/1/25



TABLE OF CONTENTS	PAGE
DESK LIGHTING	
Revo	4
Voyage	6
Pippa	8
UNDER SHELF LIGHTING	
Reed Premier	9
POWER PRODUCTS	
Nik	11
Nik+	14
Linus	17
Lincoln	18

**NEED HELP?**  
Have questions or need more information on our products? We're happy to help! Contact us at (800) 526-5658 anytime Monday through Friday from 7:30 AM – 5:00 PM (EST) for assistance.

**WARRANTY, TERMS & CONDITIONS**  
Please visit [LightCorp.com](http://LightCorp.com) for details on our warranty and terms and conditions policies.

**FREE SHIPPING**  
LightCorp is pleased to offer the considerable value of free shipping on all orders totaling \$2,500 (net). For orders totaling less than \$2,500 (net), a \$25 handling fee will be added.

**STANDARD LEAD TIME**  
Another added value that we are proud to offer our customers is dependable and fast order fulfillment. Our standard lead time for most products is 10 days from order acknowledgment.

**SWIFT SHIP**  
A select group of our products are now available to deliver as part of our Swift Ship Program which features a 5-day lead time from order acknowledgment. Products that qualify are listed below, are based on availability, and do not include custom, “special” orders.

The listed lead times are for reference and are based on normal conditions that are subject to change at any time based on production schedules and component stock. To verify current lead times or for quantities greater than specified in the chart, please contact [customerservice@lightcorp.com](mailto:customerservice@lightcorp.com). If products of multiple lead times are ordered at once, they will all be sent at the speed of the product with the longest lead time.

SWIFT SHIP ELIGIBLE PRODUCTS	LEAD TIME	MAX. QTY.
PIPER	5 days	100
REED PREMIER, STANDARD	5 days	400
REED PREMIER, HIGH OUTPUT OR SENSORS	5 days	100
NIK 2-TAP, UNDER MOUNT*	5 days	25
NIK 3-TAP, UNDER MOUNT*	5 days	25

*\* In black or white finish, PVC cords, standard strain relief only*

**A NOTE ABOUT ACCURACY**  
We make every effort to ensure our printed product specifications are published with accuracy. However, specifications to products can possibly change after publishing. For the most up-to-date product and specification information, please visit [LightCorp.com](http://LightCorp.com).

COMPANY SUMMARY

LightCorp delivers a robust range of lighting and power products for government agencies. For over 30 years, we've put all our energy into understanding how lighting empowers a person's work, influences their mood, and helps them focus. We love the beauty of it, the science behind it, and its impact on everyday life. It is this passion that defines everything we do and drives us to create vibrant, colorful, and imaginative solutions that brighten the world where we live and work.

LightCorp is a GSA contract holder with the capability and capacity to serve government agencies. We offer highly functional, environmentally friendly products that are TAA compliant and assembled in the U.S.A., giving federal, state and local agencies the value and performance required for life cycle efficiencies.

MANUFACTURING PROCESS

LightCorp manufacturing processes are lean, reliable, flexible and proven; our highly functional lighting products are built to last and delivered on time. We implement high standards through an ISO 9001 certified Quality Management System. Additionally, ISO 14001 certified Environmental Management System ensures our manufacturing and disposal processes are environmentally sound.

PRODUCT DEVELOPMENT

Our product development process includes rigorous procedures that result in short lead times and smart products that last. LightCorp employs the agile methodology of Scrum project management to oversee critical steps, from ideation through launch.


CAPABILITIES


































Office Lighting & Power Distribution Products: LED task and personal task lighting products that balance illumination and glare and desk-mounted units offering AC and USB power.

**Name** Light Corporation  
**UEI** Q31KK8QLRRH6  
**CAGE** OSWR1  
**Type** Small Business  
**POC** Tammy Felcoski  
**Contact** tammyf@lightcorp.com, 616.842.3111

NAICS	
335132	Commercial, Industrial, and Institutional Electric Lighting Fixture Manufacturing
332439	Other Metal Container Manufacturing
335131	Residential Electric Lighting Fixture Manufacturing
335931	Current-Carrying Wiring Device Manufacturing





		WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
1. SPECIFY FIXTURE ARM	Single arm fixture	6"	15.5"	14.4"	REVO.S	\$135.30
	Double arm fixture	6"	15.5"	17.7"	REVO.D	\$147.18
2. SPECIFY FINISH	 Ash finish				+ASH	
	 Black finish				+BLACK	
	 Cayenne finish				+CAYENNE	
	 Clay finish				+CLAY	
	 Clementine finish				+CLEMENTINE	
	 Coal finish				+COAL	
	 Cranberry finish				+CRANBERRY	
	 Currant finish				+CURRANT	
	 Dijon finish				+DIJON	
	 Eggplant finish				+EGGPLANT	
	 Flax finish				+FLAX	
	 Goldenrod finish				+GOLDENROD	
	 Grape finish				+GRAPE	
	 Gulf finish				+GULF	
	 Juniper finish				+JUNIPER	
	 Kiwi finish				+KIWI	
	 Marine finish				+MARINE	
	 Merlot finish				+MERLOT	
	 Ocean finish				+OCEAN	
	 Paprika finish				+PAPRIKA	
	 Pineapple finish				+PINEAPPLE	
	 Porcelain finish				+PORCELAIN	
	 Pumpkin finish				+PUMPKIN	
	 Raisin finish				+RAISIN	
	 Salmon finish				+SALMON	
	 Silver finish				+SILVER	
	 Silver Sage finish				+SILVERSAGE	
	 Sky finish				+SKY	
	 Spruce finish				+SPRUCE	
	 Storm finish				+STORM	
	 Teal finish				+TEAL	
	 Tranquil finish				+TRANQUIL	
	 White finish				+WHITE	



	WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
<b>3. SPECIFY MOUNTING</b>	Freestanding base			+.FS	
When specifying a slat wall or panel mount, the office furniture system must be identified. Please contact Inside Sales at 800.526.5658 to specify.	Freestanding base with USB			+.FS.USB	\$33
	Surface mount			+.SM	
	Clamp mount			+.CM	
	Slat wall mount; *specify office furniture system			+.SW	
	Panel mount; *specify office furniture system			+.PM	
<b>4. SPECIFY OPTIONS</b>	Occupancy sensor			+.OSV	\$29.70
<i>If applicable</i>	Occupancy sensor + freestanding base with USB			+.DUO	\$52.80

ORDERING NOTES




















- To order, specify fixture arm, finish, mounting, and options (if applicable)
- All mounting options are fixed to the fixture arm as a theft-deterrent feature and are not interchangeable
- The clamp mount applies to surfaces 0.9"-1.875" thick.
- Surface mount requires a 2.125" diameter hole be drilled into the work surface. Surfaces can be 1.2" thick maximum.

CARTON	W	H	D	WT.
SINGLE ARM	35"	9"	10"	8.3 lbs.
DOUBLE ARM	35"	9"	10"	8.6 lbs.



**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



		WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
1. SPECIFY FIXTURE	Single arm fixture	6"	15.5"	17.9"	VLED.S	\$135.30
	Double arm fixture	6"	15.5"	18.6"	VLED.D	\$147.18
2. SPECIFY FINISH	 Ash finish				+ASH	
	 Black finish				+BLACK	
	 Cayenne finish				+CAYENNE	
	 Clay finish				+CLAY	
	 Clementine finish				+CLEMENTINE	
	 Coal finish				+COAL	
	 Cranberry finish				+CRANBERRY	
	 Currant finish				+CURRANT	
	 Dijon finish				+DIJON	
	 Eggplant finish				+EGGPLANT	
	 Flax finish				+FLAX	
	 Goldenrod finish				+GOLDENROD	
	 Grape finish				+GRAPE	
	 Gulf finish				+GULF	
	 Juniper finish				+JUNIPER	
	 Kiwi finish				+KIWI	
	 Marine finish				+MARINE	
	 Merlot finish				+MERLOT	
	 Ocean finish				+OCEAN	
	 Paprika finish				+PAPRIKA	
	 Pineapple finish				+PINEAPPLE	
	 Porcelain finish				+PORCELAIN	
	 Pumpkin finish				+PUMPKIN	
	 Raisin finish				+RAISIN	
	 Salmon finish				+SALMON	
	 Silver finish				+SILVER	
	 Silver Sage finish				+SILVERSAGE	
	 Sky finish				+SKY	
	 Spruce finish				+SPRUCE	
	 Storm finish				+STORM	
	 Teal finish				+TEAL	
	 Tranquil finish				+TRANQUIL	
	 White finish				+WHITE	



	WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
<b>3. SPECIFY MOUNTING</b>					
				Freestanding base	+.FS
When specifying a slat wall or panel mount, the office furniture system must be identified. Please contact Inside Sales at 800.526.5658 to specify.				Freestanding base with USB	+.FS.USB
				Surface mount	+.SM
				Clamp mount	+.CM
				Slat wall mount; *specify office furniture system	+.SW
				Panel mount; *specify office furniture system	+.PM
<b>4. SPECIFY OPTIONS</b>					
				Occupancy sensor	+.OSV
<i>If applicable</i>				Occupancy sensor + freestanding base with USB	+.DUO


**ORDERING NOTES**

- To order, specify fixture arm, finish, mounting, and options (if applicable)
- All mounting options are fixed to the fixture arm as a theft-deterrent feature and are not interchangeable
- The clamp mount applies to surfaces 0.9"-1.875" thick.
- Surface mount requires a 2.125" diameter hole be drilled into the work surface. Surfaces can be 1.2" thick maximum.








CARTON	W	H	D	WT.
SINGLE ARM	35"	9"	10"	8.3 lbs.
DOUBLE ARM	35"	9"	10"	8.6 lbs.



**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



DESK LIGHTING

		WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
1. SELECT MODEL	Personal light	6.3"	13.3"	6.3"	PIPPA	\$189.75
2. SPECIFY FINISH	 Deep Space finish				+.DEEPSPACE	
	 Linen finish				+.LINEN	
	 Stone finish				+.STONE	
	 Moss finish				+.MOSS	
	 Terra Cotta finish				+.TERRACOTTA	
	 Desert Rose finish				+.DESERTROSE	
	 Fog finish				+.FOG	

ORDERING NOTES

- To order, specify model and finish

CARTON	W	H	D	WT.
	14.5"	7.5"	7.5"	4.5 lbs.




**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).





		WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
<b>1. SPECIFY FINISH</b>	Silver finish				RP.SV	
	Black finish				RP.BK	
<b>2. SELECT FIXTURE</b>	17" stand alone	16.4"	2"	.5"	+.17SO.PS18	\$88.44
	17" starter	16.4"	2"	.5"	+.17SO.PS60	\$98.67
	17" adder	16.4"	2"	.5"	+.17SO.ICR	\$69.96
	24" stand alone	23.3"	2"	.5"	+.24SO.PS18	\$112.20
	24" starter	23.3"	2"	.5"	+.24SO.PS60	\$122.10
	24" adder	23.3"	2"	.5"	+.24SO.ICR	\$93.72
	31" stand alone/starter	30.1"	2"	.5"	+.31SO.PS60	\$144.87
	31" adder	30.1"	2"	.5"	+.31SO.ICR	\$116.82
	44" stand alone/starter	43.7"	2"	.5"	+.44SO.PS60	\$184.80
	44" adder	43.7"	2"	.5"	+.44SO.ICR	\$156.75
	58" stand alone/starter	57.4"	2"	.5"	+.58SO.PS60	\$202.62
	58" adder	57.4"	2"	.5"	+.58SO.ICR	\$173.91
<b>3. SPECIFY CORD COLOR</b>	Black cord				+.B	
	White cord				+.W	
<b>4. SELECT OPTIONS</b> <i>If applicable</i>	Integrated occupancy sensor	+0.8"		+.26"	+.IOS	\$46.20
	Integrated vacancy sensor	+0.8"		+.26"	+.IVS	\$46.20
	Add-on occupancy sensor	+3"		+.26"	+.MOS	\$49.50
	Add-on vacancy sensor	+3"		+.26"	+.MVS	\$49.50
<b>ACCESSORIES &amp; SERVICE KITS</b>					<b>PART NUMBER</b>	<b>GSA NET PRICE</b>
<i>Cord Managers</i>	Adhesive horizontal cord manager, qty. 2				CMAD	\$1.98
	Magnetic horizontal cord manager, qty. 2; chrome finish				CMMM	\$3.96
	Panel clip cord manager, qty. 2; black finish				CMPC	\$1.98
	17" vertical cord manager; white finish				17997.017.003	\$8.91
<i>Interlinking</i>	1" end-to-end connector				ICR1	\$3.96
	8" interlink cord				ICR8	\$3.96
	30" interlink cord				ICR30	\$3.96
	54" interlink cord				ICR54	\$5.61
<i>Mounting</i>	Magnetic angle mount; 2 adhesive cord managers				AM	\$5.94
	Universal mounting brackets, wood screws, & cord managers; qty. 2 ea.				UMRP	\$5.94



ACCESSORIES & SERVICE KITS		PART NUMBER	GSA NET PRICE
<i>Mounting</i>	Mounting plate for angle mount; white finish *Call to specify length	20335.XXX.003	\$11.22
	Mounting plate for angle mount; black finish *Call to specify length	20335.XXX.078	\$11.22
	Wood/laminate power supply support bracket; white finish	20793.000.003	\$11.55
	Wood/laminate power supply support bracket; black finish	20793.000.078	\$11.55
	Magnetic power supply support bracket; white finish	18029.000.003	\$11.55
	Magnetic power supply support bracket; black finish	18029.000.078	\$11.55
<i>Power Supplies</i>	18W, 9' cord; white	PS18.W	\$19.14
	18W, 9' cord; black	PS18.B	\$19.14
	65W, 11' cord; white	PS60.W	\$27.39
	65W, 11' cord; black	PS60.B	\$27.39
<i>Sensors</i>	Add-on occupancy sensor -silver finish, black cord	OSRP.SV.B	\$49.50
	Add-on occupancy sensor -silver finish, white cord	OSRP.SV.W	\$49.50
	Add-on occupancy sensor -black finish, black cord	OSRP.BK.B	\$49.50


**ORDERING NOTES**

























- To order, specify finish, fixture, cord color, and options (if applicable)
- If automatic shut-off feature is not desired, please specify by contacting Inside Sales at (800) 526-5658
- If a 4000K color temperature is desired, contact Inside Sales at (800) 526-5658 for lead time
- Mounts for wood/laminate or magnetic application and two adhesive cord managers are included with each fixture. Additional cord managers are available for purchase.
- 8" and 30" interlinking cords are included with adder fixtures
- Allow 2" on each end for interlink or power supply plug connection
- Add-on sensor includes 1" end-to-end connector and adds 3" to the total fixture length


CARTON	W	H	D	WT.
17" FIXTURE	35"	2.5"	2.5"	1.1 lbs.
24" FIXTURE	35"	2.5"	2.5"	1.3 lbs.
31" FIXTURE	35"	2.5"	2.5"	1.4 lbs.
44" FIXTURE	48.38"	2.5"	2.5"	2.8 lbs.
58" FIXTURE	63"	2.5"	2.5"	3.5 lbs.



















**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



		WIDTH	HEIGHT	DEPTH	PART NUMBER	CSA NET PRICE
1. SELECT CONFIGURATION	1X AC; 2X USB-A	4.4"			NIK.AC.UA	\$82.50
	2X AC	4.4"			NIK.AC.AC	\$80.85
	2X USB-A; 1X USB-C	4.4"			NIK.UA.UC	\$107.25
	1X AC; 1X USB-C; 1X USB-A	4.4"			NIK.AC.UCA	\$89.10
	2X AC; 2X USB-A	6.1"			NIK.AC.AC.UA	\$90.75
	1X AC; 4X USB-A	6.1"			NIK.AC.UA.UA	\$107.25
	1X AC; 2X USB-A; 1X AC	6.1"			NIK.AC.UA.AC	\$90.75
	3X AC	6.1"			NIK.AC.AC.AC	\$89.10
	1XAC; 2X USB-A; 1X USB-C	6.1"			NIK.AC.UA.UC	\$123.75
	2X AC; 1X USB-C; 1X USB-A	6.1"			NIK.AC.AC.UCA	\$102.30
2. SPECIFY FINISH	 Ash finish				+.ASB	
	 Black finish				+.BKB	
	 Cayenne finish				+.CYB	
	 Clay finish				+.CAB	
	 Clementine finish				+.CLB	
	 Coal finish				+.COB	
	 Cranberry finish				+.CRB	
	 Currant finish				+.CTB	
	 Dijon finish				+.DJB	
	 Eggplant finish				+.EGB	
	 Flax finish				+.FXB	
	 Goldenrod finish				+.GOB	
	 Grape finish				+.GRB	
	 Gulf finish				+.GUB	
	 Juniper finish				+.JPB	
	 Kiwi finish				+.KWB	
	 Marine finish				+.MAB	
	 Merlot finish				+.MRB	
	 Ocean finish				+.OCB	
	 Paprika finish				+.PPB	
	 Pineapple finish				+.PNB	
	 Porcelain finish				+.POB	
	 Pumpkin finish				+.PKB	
	 Raisin finish				+.RNB	
	 Salmon finish				+.SAB	



		WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
<b>2. SPECIFY FINISH</b>	 Silver finish				+SVB	
	 Silver sage finish				+SSB	
	 Sky finish				+SKB	
	 Spruce finish				+SPB	
	 Storm finish				+STB	
	 Teal finish				+TLB	
	 Tranquil finish				+TQB	
	 White finish				+WTB	
<b>3. SPECIFY AC OUTLET COLOR</b> <i>If applicable</i>	 White				+WTO	
	 Linen				+LNO	
	 Black				+BKO	
<b>4. SPECIFY CORD</b>	6' PVC white				+6W	
	6' PVC black				+6B	
	10' PVC white				+10W	\$3.96
	10' PVC black				+10B	\$3.96
	 10' woven; graphite				+10GRAPHITE	\$16.50
	 10' woven; ivory				+10IVORY	\$16.50
	 10' woven; indigo				+10INDIGO	\$16.50
	 10' woven; yellow				+10YELLOW	\$16.50
	6' hardwire				+HW	\$16.50
<b>5. SPECIFY AC OUTLET ROTATION</b> <i>If applicable</i>	North rotation				+N	
	East rotation				+E	
	South rotation (standard)				+S	
	West rotation				+W	
<b>6. SPECIFY MOUNTING</b>	Under mount	2.3"	4.1"		+UM	
	Clamp mount	4.6"	4.4"		+CM	
	In-surface mount	3.3"	3.7"		+IM	
<b>7. SELECT OPTIONS</b> <i>If applicable</i>	Tamper-resistant outlets				+TR	\$4.95

**SERVICE KITS**

		PART NUMBER	GSA NET PRICE
Cord Managers	Adhesive cord manager; qty. 2	21625.000.000	\$12


**ORDERING NOTES**























- To order, specify configuration, finish, outlet color (if applicable), cord, outlet rotation (if applicable), mounting, and options (if applicable)
- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- If selecting hardwire option for Nik, please note that the backplate is available in black only
- AC outlets default to south orientation (ground pin down), or can be specified to be rotated north-facing (ground pin up), east-facing (ground pin on the right), or west-facing (ground pin on the left)
- Straight strain relief is standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- AC outlets cannot be custom painted
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- The clamp mount applies to surfaces 0.75"-1.25" thick and does not extend beyond the back edge of the work surface
- The in-surface mount is applicable to surfaces 0.75"-1.25" thick. For applications requiring a larger depth, please contact Inside Sales at 800.526.5658.

CARTON	W	H	D	WT.
	14"	6"	11.25"	3.4-4.5 lbs.















**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).




		WIDTH	HEIGHT	DEPTH	PART NUMBER	CSA NET PRICE
1. SELECT CONFIGURATION	1X AC; 2X USB-A	4.4"			NIK.AC.UA	\$82.50
	2X AC	4.4"			NIK.AC.AC	\$80.85
	2X USB-A; 1X USB-C	4.4"			NIK.UA.UC	\$107.25
	1X AC; 1X USB-C; 1X USB-A	4.4"			NIK.AC.UCA	\$89.10
	2X AC; 2X USB-A	6.1"			NIK.AC.AC.UA	\$90.75
	1X AC; 4X USB-A	6.1"			NIK.AC.UA.UA	\$107.25
	1X AC; 2X USB-A; 1X AC	6.1"			NIK.AC.UA.AC	\$90.75
	3X AC	6.1"			NIK.AC.AC.AC	\$89.10
	1X AC; 2X USB-A; 1X USB-C	6.1"			NIK.AC.UA.UC	\$123.75
	2X AC; 1X USB-C; 1X USB-A	6.1"			NIK.AC.AC.UCA	\$102.30
2. SPECIFY FINISH	 Ash finish				+.ASB	
	 Black finish				+.BKB	
	 Cayenne finish				+.CYB	
	 Clay finish				+.CAB	
	 Clementine finish				+.CLB	
	 Coal finish				+.COB	
	 Cranberry finish				+.CRB	
	 Currant finish				+.CTB	
	 Dijon finish				+.DJB	
	 Eggplant finish				+.EGB	
	 Flax finish				+.FXB	
	 Goldenrod finish				+.GOB	
	 Grape finish				+.GRB	
	 Gulf finish				+.GUB	
	 Juniper finish				+.JPB	
	 Kiwi finish				+.KWB	
	 Marine finish				+.MAB	
	 Merlot finish				+.MRB	
	 Ocean finish				+.OCB	
	 Paprika finish				+.PPB	
	 Pineapple finish				+.PNB	
	 Porcelain finish				+.POB	
	 Pumpkin finish				+.PKB	
	 Raisin finish				+.RNB	
	 Salmon finish				+.SAB	





		WIDTH	HEIGHT	DEPTH	PART NUMBER	CSA NET PRICE	
2. SPECIFY NIK FINISH		Silver finish			+SVB		
		Silver sage finish			+SSB		
		Sky finish			+SKB		
		Spruce finish			+SPB		
		Storm finish			+STB		
		Teal finish			+TLB		
		Tranquil finish			+TQB		
		White finish			+WTB		
3. SPECIFY NIK AC OUTLET COLOR		White outlets			+WTO		
		Linen outlets			+LNO		
	<i>If applicable</i>		Black outlets			+BKO	
4. SPECIFY NIK CORD	6' PVC white				+6W	\$3.96	
	6' PVC black				+6B	\$3.96	
5. SPECIFY NIK AC OUTLET ROTATION	North rotation				+N		
	East rotation				+E		
	<i>If applicable</i>	South rotation (standard)			+S		
	West rotation				+W		
6. SPECIFY NIK MOUNTING	Under mount		2.3"	4.1"	+UM		
	Clamp mount		4.6"	4.4"	+CM		
7. SPECIFY POWER STRIP SIZE	13"; four-outlet		13"	1.95"	1.95"	+P4	\$47.85
	15"; five-outlet		15"	1.95"	1.95"	+P5	\$52.80
8. SPECIFY POWER STRIP FINISH AND CORD	White finish; 6' white cord				+6W		
	Black finish; 6' black cord				+6B		
9. SPECIFY POWER STRIP OPTIONS	Circuit breaker				+CB	\$16.50	
<i>If applicable</i>							
SERVICE KITS							
Cord Managers	Adhesive cord manager; qty. 2				21625.000.000	\$3.96	




#### ORDERING NOTES

- To order, specify Nik configuration, finish, outlet color (if applicable), cord, outlet rotation (if applicable), and mounting, and power strip length, finish and cord color and options (if applicable)
- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- AC outlets default to south orientation (ground pin down), or can be specified to be rotated north-facing (ground pin up), east-facing (ground pin on the right), or west-facing (ground pin on the left)
- Straight strain relief is standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- AC outlets cannot be custom painted
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- The clamp mount applies to surfaces 0.75"-1.25" thick and does not extend beyond the back edge of the work surface



**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



		WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
1. SPECIFY FINISH	White finish; black outlets				LIN.WT	
	Black finish; black outlets				LIN.BK	
2. SPECIFY LENGTH	21" length	21"	1.95"	1.95"	+21.8T	\$77.55
	48" length	48"	1.95"	1.95"	+48.8T	\$123.75
	60" length	60"	1.95"	1.95"	+60.8T	\$127.05
3. SPECIFY CORD LENGTH	6' black cord				+.6	
	10' black cord				+.10	\$3.30
4. SPECIFY OPTION	Tamper-resistant outlets				+.TR	\$4.95
If applicable						


ORDERING NOTES

- To order, specify model, finish, and cord length
- Cord color will match body finish
- Custom lengths available. Please contact Inside Sales at 800.526.5658 for more information and estimate on lead time.

CARTON	W	H	D	WT.
21" MODEL	26"	2.5"	9"	4.2 lbs.
48" MODEL	53"	2.5"	9"	7.6 lbs.
60" MODEL	65"	2.5"	9"	9 lbs.



**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



		WIDTH	HEIGHT	DEPTH	PART NUMBER	GSA NET PRICE
1. SELECT MODEL	4-outlet power strip	12"	1.5"	1.6"	LNC.12	\$46.20
	8-outlet power strip	24"	1.5"	1.6"	LNC.24	\$62.70
2. SPECIFY FINISH	Black finish; black outlets				+.BK	
	Silver finish; black outlets				+.SV	
3. SPECIFY CORD LENGTH	6' black cord				+.6	
	10' black cord				+.10	\$3.30

ORDERING NOTES

- To order, specify model, finish, and cord length
- Custom lengths available. Please contact Inside Sales at 800.526.5658 for more information and estimate on lead time.

POWER PRODUCTS

CARTON	W	H	D	WT.
12" MODEL	13.5"	2.25"	5.5"	2 lbs.
24" MODEL	25.5"	2.25"	5.5"	2.7 lbs.




**CALIFORNIA RESIDENTS:** The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

# Terms and Conditions

1. **SPECIAL ITEM NUMBERS:** SIN # 3FURNISH Commercial Office Furnishings (SBSA)
2. **MAXIMUM ORDER LIMITATION:** \$250,000 (All SIN numbers)
3. **MINIMUM ORDER LIMITATION:** \$50
4. **GEOGRAPHIC COVERAGE:** Covers the forty eight (48) contiguous states of the United States including the District of Columbia; delivery will be made to port of embarkation to Alaska, Puerto Rico, and Hawaii.
5. **POINT OF PRODUCTION:** Grand Haven, Michigan, USA
6. **DISCOUNT:** Prices are shown Net Government Price (discounts already deducted)
7. **QUANTITY DISCOUNT:** Additional 2% discount for purchases at \$20,000 (off standard net).
8. **PAYMENT TERMS:** Net 30 days, 1-1/2% interest per month will be added to past due accounts.
9. **GOVERNMENT CREDIT CARD:** Accepted. No cash discounts on credit card purchase.
10. **TERMS AND CONDITIONS OF CREDIT CARD:** At or below the micro-purchase threshold.
11. **FOREIGN TERMS:** N/A
12. **TIME OF DELIVERY:** 14-60 days after receipt of order
13. **EXPEDITED DELIVERY:** All items available for expedited delivery. Overnight & 2nd day delivery available upon request. For urgent requirements, please contact Light Corporation Customer Service.
14. **F.O.B. POINT:** F.O.B. Destination
15. **ORDERING ADDRESS:** Light Corporation, 14800 172nd Avenue Grand Haven, MI 49417 Phone: 800.544.4899 Fax: 616.846.2144
16. **PAYMENT ADDRESS:** Light Corporation, 21998 Network Place Chicago, IL 60673-1219
17. **EXPORT PACKING CHARGES:** Quoted upon request
18. **RENTAL TERMS:** N/A
19. **INSTALLATION TERMS:** N/A
20. **CANCELLATION:** Cancellation of special orders will not be accepted after 24 hours from order entry.
21. **WARRANTY:** Revo, Voyage, & Reed Premier are warranted for a period of 10 years from date of manufacture. The LED power supply for all LED lighting elements is warranted for a period of 5 years. Piper is warranted for a period of 3 years from the date of manufacture, excluding power supply. Nik and Nik+ are warranted for a period of 2 years from the date of manufacture. Note that LED products are not field serviceable. If a defect occurs to an LED product during its warranty period and upon approval from a Light Corporation representative, the product must be returned for repair or replacement.
22. **RETURNED GOODS:** Product returned to Light Corporation in Grand Haven, Michigan, must be accompanied by an RMA number, which is issued by the Customer Service Department. Any product returned without such authorization will be returned to sender, unopened, and at the original buyer's expense. A restocking charge of 20% will be applied to any non-warranty return.
23. **ENVIRONMENTAL ATTRIBUTES:** Energy efficient products, ISO 14001 certified Environmental Management System, use of occupancy sensors and dimmers in task lights
24. **LIST OF DEALERS:** Please contact Light Corporation for the name of your nearest authorized dealer.
25. **FED ID:** 38-2696632 **UEI:** Q31KK8QLRRH6
26. **CENTRAL CONTACT REGISTRATION:** Light Corporation is registered.
27. **FOR ADDITIONAL INFORMATION:** LightCorp warranty and terms and conditions documents can be found at [www.LightCorp.com](http://www.LightCorp.com).

California's Proposition 65 (Prop 65), also called the Safe Drinking Water and Toxic Enforcement Act, is a Right to Know law regarding Californians being able to make informed decisions to protect themselves from chemicals known to cause cancer, birth defects, or other reproductive harm. The law requires that all businesses provide a 'clear and reasonable warning' if one or more listed chemicals may be present within the product, even if in trace amounts. This warning must include at least one chemical present within the product. To comply with this law, a warning will appear on all LightCorp products in the form of a packaging label, in the following format shown below:



LightCorp products may contain traces of one or more of the 900+ listed chemicals. Exposure to these chemicals may occur during installation and/or use of LightCorp products and may be negligible or well within the "no significant risk" range. However, based upon knowledge regarding the presence of one or more listed chemicals, LightCorp has chosen to provide a warning without conducting exposure levels per product due to its complexity.

Washing your hands after handling these products can reduce your risk of exposure. Exposure can include the following:

- Power supply cords, wiring and other parts made of PVC material may expose you to chemicals including phthalates like DINP, DEHP and/or lead
- Product switches, lens material or other plastic parts, may expose you to chemicals including bisphenol A, phthalates like DINP, DEHP and/or polychlorinated biphenyls (PCB)
- Unpainted galvanized sheet metal parts, present on some underbin products and/or mounting brackets, may expose you to chemicals including lead and/or nickel
- Powder coat paint, although cured during the painting process, may expose you to chemicals including bisphenol A, nickel oxide, 2-mercaptobenzothiazole, 2-methylimidazole, carbon black and/or titanium dioxide. (Exposure to paint chemicals exists only if the paint were to flake or the product was sanded and particles were to become airborne)

For more information, go to <http://www.P65Warnings.ca.gov>.



## GENERAL SERVICE ADMINISTRATION

### Federal Supply Service

#### Authorized Federal Supply Schedule Price List

Business size: Small  
Price list effective: 4/2022  
Contract number: 47QSMS08D0004, GS-27F-0001V  
Contract period: October 1, 2008 - September 30, 2028  
Fed ID: 38-2696632  
UEI: Q31KK8QLRRH6  
Cage ITEM NO.: OSWR1

Prices shown herein are net delivered.

Schedule 72 Part II - Furnishings FSC 6230



For more information on ordering from Federal Supply Schedules go to [fss.gsa.gov](http://fss.gsa.gov) and click on the FSS Schedules. Online access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!; a menu-driven database system. The internet address for GSA Advantage! is [GSAadvantage.gov](http://GSAadvantage.gov).

LightCorp is an ISO 14001 & ISO 9001 registered firm and each product is compliant with UL standards.

Have questions or need more information on our products? We're happy to help!

Contact us at (800) 526-5658 anytime Monday through Friday from 7:30 AM—5:00 PM (EST) for assistance.

#### Factory + Headquarters

14800 172nd Avenue  
Grand Haven, Michigan 49417  
[insidesales@lightcorp.com](mailto:insidesales@lightcorp.com)  
[customerservice@lightcorp.com](mailto:customerservice@lightcorp.com)

#### Online

 [www.lightcorp.com](http://www.lightcorp.com)  
 [@lightcorp](https://www.facebook.com/lightcorp)  
 [light-corporation](https://www.linkedin.com/company/light-corporation)  
 [@lightcorp](https://www.instagram.com/lightcorp)