



TABLE OF CONTENTS

DESK LIGHTING	PAGE
Mack Desk Light	3
Piper Desk Light	4
Revo Desk Light	5
Tino Desk Light	7
Voyage Desk Light	9
UNDER SHELF LIGHTING	
Clique Under Shelf Light	11
Reed Premier Under Shelf Light	12
Tuck Under Shelf Light	15
POWER PRODUCTS	
Angus Power Hub	17
Lincoln Power Strip	18
Linus Power Strip	19
Nik Power Unit	20
Nik-LV Power Unit	24
Nik+ Combo Unit	27
About California Proposition 65	31

NEED HELP?

Have questions or need more information on our products? We're happy to help! Contact us at (800) 526-5658 anytime Monday through Friday from 7:30 AM — 5:00 PM (EST) for assistance.

A NOTE ABOUT ACCURACY

We make every effort to ensure our printed product specifications are published with accuracy. However, specifications to products can possibly change after publishing. For the most up-to-date product and specification information, please visit LightCorp.com.

CONTRACT PRICING

Please visit LightCorp.com for current GSA contract price lists.

WARRANTY, TERMS & CONDITIONS

Please visit LightCorp.com for details on our warranty and terms and conditions policies.

FREE SHIPPING

LightCorp is pleased to offer the considerable value of free shipping on all orders totaling \$5,000 (net). For orders totaling less than \$5,000 (net), a small handling fee will be added:

- orders \$2,500 or less \$25 handling fee
- orders \$2,501 - \$4,999 \$50 handling fee

STANDARD LEAD TIME

Another added value that we are proud to offer our customers is dependable and fast order fulfillment. Our standard lead time for most products is 10 days from order acknowledgment.


SWIFT SHIP

A select group of our products are now available to deliver as part of our Swift Ship Program which features a 5-day lead time from order acknowledgment. Products that qualify are listed below, are based on availability, and do not include custom, "special" orders.

SWIFT SHIP ELIGIBLE PRODUCTS	LEAD TIME	MAX. QTY.
PIPER	5 days	100
CLIQUE	5 days	200
TUCK	5 days	200
REED PREMIER, STANDARD	5 days	400
REED PREMIER, HIGH OUTPUT OR SENSORS	5 days	100
NIK 2-TAP, CLAMP MOUNT*	5 days	25
NIK 3-TAP, CLAMP MOUNT*	5 days	25

** In black or white finish, PVC cords, standard strain relief only*

The listed lead times are for reference and are based on normal conditions that are subject to change at any time based on production schedules and component stock. To verify current lead times or for quantities greater than specified in the chart, please contact customerservice@lightcorp.com. If products of multiple lead times are ordered at once, they will all be sent at the speed of the product with the longest lead time.



ORDERING NOTES

- The arm has a 17" reach from the front of the base to the fixture head
- This fixture is not field serviceable

SUSTAINABILITY

- Made with fully-recyclable aluminum and plastic
- Energy-saving features such as dimming included
- Lower power consumption
- May contribute to LEED points


CARTON DIMENSIONS

Width: 19.2"
Height: 3.3"
Depth: 5.9"
Weight: 2.7 lbs.



CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SPECIFY FIXTURE	Mack fixture	MACK	\$228



ORDERING NOTES

- The arm has a 15" reach from the front of the base to the fixture head
- The cord extender accessory extends the total cord length to 7' 11" and is available in black only
- This fixture is not field serviceable

SUSTAINABILITY

- Made with fully-recyclable aluminum and plastic
- Energy-saving features such as programmable shut-off and dimming included
- Lower power consumption
- May contribute to LEED points


CARTON DIMENSIONS

Width: 19"
Height: 8"
Depth: 8"
Weight: 3.4 lbs.



CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SPECIFY FIXTURE	Piper fixture	PIPER	\$263
2. SPECIFY ACCESSORIES	3' cord extender	+CE	\$11
If applicable			



ORDERING NOTES

- USB charging option only available with freestanding base
- All mounting options are fixed to the fixture arm as a theft-deterrent feature and are not interchangeable
- The clamp mount applies to surfaces 0.9"–1.875" thick.
- Surface mount requires a 2.125" diameter hole be drilled into the work surface. Surfaces can be 1.2" thick maximum.
- When specifying a slat wall or panel mount, the office furniture system must be identified. Please contact Inside Sales at 800.526.5658 to specify.

SUSTAINABILITY

- Made with fully-recyclable powder-coated aluminum and plastic
- Includes auto-shut off and dimming features
- Optional, energy-saving occupancy sensor
- May contribute to LEED points

CARTON DIMENSIONS


Width: 35"
Height: 9"
Depth: 10"

Weight: 8.3 lbs. single arm model
8.6 lbs. double arm model



CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SPECIFY FIXTURE ARM	Single arm fixture	REVO.S	\$420
	Double arm fixture	REVO.D	\$457
2. SPECIFY FINISH	Black	+BLACK	
	Silver	+SILVER	
	White	+WHITE	
	Ash	+ASH	
	Cayenne	+CAYENNE	
	Clay	+CLAY	
	Clementine	+CLEMENTINE	
	Coal	+COAL	
	Cranberry	+CRANBERRY	
	Currant	+CURRANT	
	Dijon	+DIJON	



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SPECIFY FINISH	Eggplant	+.EGGPLANT	
	Flax	+.FLAX	
	Goldenrod	+.GOLDENROD	
	Grape	+.GRAPE	
	Gulf	+.GULF	
	Juniper	+.JUNIPER	
	Kiwi	+.KIWI	
	Marine	+.MARINE	
	Merlot	+.MERLOT	
	Ocean	+.OCEAN	
	Paprika	+.PAPRIKA	
	Pineapple	+.PINEAPPLE	
	Porcelain	+.PORCELAIN	
	Pumpkin	+.PUMPKIN	
	Raisin	+.RAISIN	
	Salmon	+.SALMON	
	Silver Sage	+.SILVERSAGE	
	Sky	+.SKY	
	Spruce	+.SPRUCE	
	Storm	+.STORM	
	Teal	+.TEAL	
	Tranquil	+.TRANQUIL	
3. SPECIFY MOUNTING	Freestanding base	+.FS	
	Surface mount	+.SM	
	Clamp mount	+.CM	
	Slat wall mount; *specify office furniture system	+.SW	
	Panel mount; *specify office furniture system	+.PM	
4. SPECIFY OPTIONS <i>If applicable</i>	Occupancy sensor	+.OSV	\$90
	Freestanding base with USB	+.FS.USB	\$100
	Occupancy sensor + freestanding base with USB	+.DUO	\$160



ORDERING NOTES

- All mounting options are fixed to the fixture arm as a theft-deterrent feature and are not interchangeable
- The clamp mount applies to surfaces 0.9"–1.875" thick.
- The monitor mount fits most 15"–17" monitors with standard VESA mounting patterns (100mm x 100mm and 75mm x 75mm)
- The divider mount can be applied to dividers ranging in depth from 0.25"-0.375" and 0.5"-1.5"
- The rail mount works with rail systems with a 0.375" opening
- When specifying a slat wall or panel mount, the office furniture system must be identified. Please contact Inside Sales at 800.526.5658 to specify.

SUSTAINABILITY

- Made with fully-recyclable powder-coated aluminum, zinc, and plastic
- Energy-saving features such as occupancy sensor and dimming included;
- Lower power consumption
- May contribute to LEED points

CARTON DIMENSIONS

Width: 21"
Height: 4"
Depth: 9.5"

Weight: 6.7 lbs.




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT FIXTURE	Single arm fixture	TINO	\$470
2. SPECIFY FINISH	Black	+.BLACK	
	Silver	+.SILVER	
	White	+.WHITE	
	Ash	+.ASH	
	Cayenne	+.CAYENNE	
	Clay	+.CLAY	
	Clementine	+.CLEMENTINE	
	Coal	+.COAL	
	Cranberry	+.CRANBERRY	



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SPECIFY FINISH	Currant	+.CURRANT	
	Dijon	+.DIJON	
	Eggplant	+.EGGPLANT	
	Flax	+.FLAX	
	Goldenrod	+.GOLDENROD	
	Grape	+.GRAPE	
	Gulf	+.GULF	
	Juniper	+.JUNIPER	
	Kiwi	+.KIWI	
	Marine	+.MARINE	
	Merlot	+.MERLOT	
	Ocean	+.OCEAN	
	Paprika	+.PAPRIKA	
	Pineapple	+.PINEAPPLE	
	Porcelain	+.PORCELAIN	
	Pumpkin	+.PUMPKIN	
	Raisin	+.RAISIN	
	Salmon	+.SALMON	
	Silver Sage	+.SILVERSAGE	
	Sky	+.SKY	
	Spruce	+.SPRUCE	
	Storm	+.STORM	
	Teal	+.TEAL	
	Tranquil	+.TRANQUIL	
3. SPECIFY MOUNTING	Freestanding base	+.FS	
	Monitor mount	+.MM	\$80
	Surface mount	+.SM	
	Clamp mount	+.CM	
	Slat wall mount; *specify office furniture system	+.SW	
	Panel mount; *specify office furniture system	+.PM	
	Divider mount for 0.25"-0.375" depth	+.DM1	
	Divider mount for 0.5"-1.5" depth	+.DM2	



ORDERING NOTES

- USB charging option only available with freestanding base
- All mounting options are fixed to the fixture arm as a theft-deterrent feature and are not interchangeable
- The clamp mount applies to surfaces 0.9"–1.875" thick.
- Surface mount requires a 2.125" diameter hole be drilled into the work surface. Surfaces can be 1.2" thick maximum.
- When specifying a slat wall or panel mount, the office furniture system must be identified. Please contact Inside Sales at 800.526.5658 to specify.

SUSTAINABILITY

- Made with fully-recyclable powder-coated aluminum and plastic
- Includes auto-shut off and dimming features
- Optional, energy-saving occupancy sensor
- May contribute to LEED points

CARTON DIMENSIONS


Width: 35"
Height: 9"
Depth: 10"

Weight: 8.3 lbs. single arm model
8.6 lbs. double arm model




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SPECIFY FIXTURE ARM	Single arm fixture	VLED.S	\$420
	Double arm fixture	VLED.D	\$457
2. SPECIFY FINISH	Black	+BLACK	
	Silver	+SILVER	
	White	+WHITE	
	Ash	+ASH	
	Cayenne	+CAYENNE	
	Clay	+CLAY	
	Clementine	+CLEMENTINE	
	Coal	+COAL	
	Cranberry	+CRANBERRY	
	Currant	+CURRANT	
	Dijon	+DIJON	



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SPECIFY FINISH	Eggplant	+.EGGPLANT	
	Flax	+.FLAX	
	Goldenrod	+.GOLDENROD	
	Grape	+.GRAPE	
	Gulf	+.GULF	
	Juniper	+.JUNIPER	
	Kiwi	+.KIWI	
	Marine	+.MARINE	
	Merlot	+.MERLOT	
	Ocean	+.OCEAN	
	Paprika	+.PAPRIKA	
	Pineapple	+.PINEAPPLE	
	Porcelain	+.PORCELAIN	
	Pumpkin	+.PUMPKIN	
	Raisin	+.RAISIN	
	Salmon	+.SALMON	
	Silver Sage	+.SILVERSAGE	
	Sky	+.SKY	
	Spruce	+.SPRUCE	
	Storm	+.STORM	
	Teal	+.TEAL	
	Tranquil	+.TRANQUIL	
3. SPECIFY MOUNTING	Freestanding base	+.FS	
	Surface mount	+.SM	
	Clamp mount	+.CM	
	Slat wall mount; *specify office furniture system	+.SW	
	Panel mount; *specify office furniture system	+.PM	
4. SPECIFY OPTIONS <i>If applicable</i>	Occupancy sensor	+.OSV	\$90
	Freestanding base with USB	+.FS.USB	\$100
	Occupancy sensor + freestanding base with USB	+.DUO	\$160



ORDERING NOTES

- Each fixture includes one end cap to enclose the open end of the fixture, two mounting screws and two adhesive horizontal cord managers
- Maximum four modular segments connected per 18-watt power supply
- Individual adder does not include an end cap
- Individual adder units cannot be added to the 42" fixture
- White power supply and cord available upon request
- Do not interlink with any other fixture family
- Additional cord managers are available for purchase

CARTON DIMENSIONS

Width: 17.1"
Height: 2.5"
Depth: 4.5"

Weight: ±1 lb.



CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.


SUSTAINABILITY

- Made with fully-recyclable plastic
- Lower power consumption
- Mercury-free LED
- May contribute to LEED points

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT FIXTURE	12" fixture	CLIQUE.12	\$144
	22" fixture	CLIQUE.22	\$177
	32" fixture	CLIQUE.32	\$232
	42" fixture	CLIQUE.42	\$284

ACCESSORIES/SERVICE KITS

Cord Managers	Adhesive horizontal cord manager, qty. 2	CMAD	\$6
	Magnetic horizontal cord manager, qty. 2; chrome finish	CMMM	\$12
	Panel clip cord manager, qty. 2; black finish	CMPC	\$6
Adder Fixture	10" individual adder	CLIQUE.ADDER	\$77

**ORDERING NOTES**

- If automatic shut-off feature is not desired, please specify by contacting Inside Sales at (800) 526-5658
- If a 4000K color temperature is desired, contact Inside Sales at (800) 526-5658 for lead time
- Two adhesive cord managers are included with each fixture. Additional cord managers are available for purchase.
- If interlinking fixtures, refer to the Reed Premier Interlinking Guide for acceptable wattage combinations
- 8" and 30" interlinking cords are included with adder fixtures
- Allow 2" on each end for interlink or power supply plug connection
- A 65-watt power supply is required when interlinking
- Add-on sensor includes 1" end-to-end connector and adds 3" to the total fixture length
- If using a sensor with the fixture, only one sensor is required per string of interlinked fixtures
- Vacancy programming (manual on/auto-off) available as an option in both modular and integrated sensor applications. Contact Inside Sales at (800) 526-5658 for lead time.

SUSTAINABILITY

- Made with fully-recyclable anodized aluminum and plastic
- Energy-saving features such as auto shut-off and dimming included; occupancy sensor available as an option
- Lower power consumption
- Mercury-free LED
- May contribute to LEED points


CARTON DIMENSIONS

<u>17"-31" Fixtures</u>	<u>44" Fixtures</u>	<u>58" Fixtures</u>
Width: 35"	Width: 48.4"	Width: 63"
Height: 2.5"	Height: 2.5"	Height: 2.5"
Depth: 2.5"	Depth: 2.5"	Depth: 2.5"
Weight: 1.1-1.4 lbs	Weight: 2.8 lbs.	Weight: 3.5 lbs.




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.


	DESCRIPTION	PART NUMBER	LIST PRICE
1. SPECIFY FINISH	Silver finish	RP.SV	
	Black finish	RP.BK	
2. SELECT FIXTURE OUTPUT, LENGTH AND TYPE	Standard output 17" stand alone fixture	+17.SO.PS18	\$275
	Standard output 17" starter fixture	+17.SO.PS60	\$300
	Standard output 17" adder fixture	+17.SO.ICR	\$215
	Standard output 24" stand alone fixture	+24.SO.PS18	\$348
	Standard output 24" starter fixture	+24.SO.PS60	\$373
	Standard output 24" adder fixture	+24.SO.ICR	\$288
	Standard output 31" stand alone fixture	+31.SO.PS18	\$419



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SELECT FIXTURE OUTPUT, LENGTH AND TYPE	Standard output 31" starter fixture	+31.SO.PS60	\$444
	Standard output 31" adder fixture	+31.SO.ICR	\$359
	Standard output 44" stand alone/starter fixture	+44.SO.PS60	\$567
	Standard output 44" adder fixture	+44.SO.ICR	\$482
	Standard output 58" stand alone/starter fixture	+58.SO.PS60	\$620
	Standard output 58" adder fixture	+58.SO.ICR	\$535
	High output 17" stand alone fixture	+17.HO.PS18	\$320
	High output 17" starter fixture	+17.HO.PS60	\$345
	High output 17" adder fixture	+17.HO.ICR	\$260
	High output 24" stand alone fixture	+24.HO.PS18	\$409
	High output 24" starter fixture	+24.HO.PS60	\$434
	High output 24" adder fixture	+24.HO.ICR	\$349
	High output 31" stand alone/starter fixture	+31.HO.PS60	\$509
	High output 31" adder fixture	+31.HO.ICR	\$424
	High output 44" stand alone/starter fixture	+44.HO.PS60	\$714
	High output 44" adder fixture	+44.HO.ICR	\$629
	High output 58" stand alone/starter fixture	+58.HO.PS60	\$778
3. SPECIFY CORD COLOR	Black cord	+B	
	White cord	+W	
4. SELECT OPTIONS	Integrated occupancy sensor	+IOS	\$140
	Add-on occupancy sensor accessory	+MOS	\$150



ACCESSORIES/SERVICE KITS		PART NUMBER	LIST PRICE
<i>Cord Managers</i>	Adhesive horizontal cord manager, qty. 2	CMAD	\$6
	Magnetic horizontal cord manager, qty. 2; chrome finish	CMMM	\$12
	Panel clip cord manager, qty. 2; black finish	CMPC	\$6
	17" vertical cord manager; white finish	17997.017.003	\$27
<i>Interlinking</i>	1" end-to-end connector	ICR1	\$12
	8" interlink cord	ICR8	\$12
	30" interlink cord	ICR30	\$12
	54" interlink cord	ICR54	\$17
<i>Mounting</i>	Magnetic angle mount; 2 adhesive cord managers	AM	\$18
	Universal mounting brackets, screws, & cord managers; qty. 2 ea.	UMRP	\$18
	Mounting plate for angle mount; white finish *Call to specify length	20335.XXX.003	\$34
	Mounting plate for angle mount; black finish *Call to specify length	20335.XXX.078	\$34
	Wood/laminate power supply support bracket; white finish	20793.000.003	\$35
	Wood/laminate power supply support bracket; black finish	20793.000.078	\$35
	Magnetic power supply support bracket; white finish	18029.000.003	\$37
	Magnetic power supply support bracket; black finish	18029.000.078	\$37
<i>Power Supplies</i>	18W, 9' cord; white	PS18.W	\$60
	18W, 9' cord; black	PS18.B	\$60
	65W, 11' cord; white	PS60.W	\$85
	65W, 11' cord; black	PS60.B	\$85
<i>Sensors</i>	Add-on occupancy sensor -silver finish, black cord	OSRP.SV.B	\$150
	Add-on occupancy sensor -silver finish, white cord	OSRP.SV.W	\$150
	Add-on occupancy sensor -black finish, black cord	OSRP.BK.B	\$150
<i>Wiring Harness</i>	1-way harness: jumper cord and 90W power supply	17881.000.000	\$224
	2-way harness: 4-way splitter, 2 jumper cords and 90W power supply	17882.000.000	\$328
	4-way harness: 4-way splitter, 4 jumper cords and 90W power supply	17883.000.000	\$410
	8-way harness: 8-way splitter, 8 jumper cords and 90W power supply	17884.000.000	\$612



ORDERING NOTES

- Stand alone fixtures include one light fixture, 18-watt power supply, magnet and screw mounts and two adhesive horizontal cord managers
- Starter fixtures include one light fixture, 40-watt power supply, magnet and screw mounts and two adhesive horizontal cord managers
- Adder fixtures include one light fixture, one 30" interlink cord, magnet and screw mounts and two adhesive horizontal cord managers
- A 40-watt power supply is required when interlinking
- An adapter is required to interlink existing Tuck fixtures purchased before March 2025 with current models
- Additional cord managers are available for purchase

SUSTAINABILITY

- Made with fully-recyclable anodized aluminum and plastic
- Energy-saving features such as auto shut-off and dimming included
- Lower power consumption
- Mercury-free LED
- May contribute to LEED points


CARTON DIMENSIONS

<u>12"-17" Fixtures</u>	<u>31" Fixtures</u>	<u>44" Fixtures</u>
Width: 35"	Width: 49"	Width: 65"
Height: 3"	Height: 3"	Height: 3"
Depth: 3"	Depth: 3"	Depth: 3"
Weight: 1-1.2 lbs	Weight: 1.5 lbs.	Weight: 2 lbs.




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT FIXTURE	12" stand alone fixture	TUCK.12.SGL.18PS.LC	\$236
	12" starter fixture	TUCK.12.DCP.40PS.LC	\$261
	12" adder fixture	TUCK.12.DCA.0PS.LC	\$201
	17" stand alone fixture	TUCK.17.SGL.18PS.LC	\$247
	17" starter fixture	TUCK.17.DCP.40PS.LC	\$271
	17" adder fixture	TUCK.17.DCA.0PS.LC	\$211
	31" stand alone fixture	TUCK.31.SGL.18PS.LC	\$308
	31" starter fixture	TUCK.31.DCP.40PS.LC	\$332
	31" adder fixture	TUCK.31.DCA.0PS.LC	\$272
	44" stand alone fixture	TUCK.44.SGL.18PS.LC	\$409
	44" starter fixture	TUCK.44.DCP.40PS.LC	\$433
	44" adder fixture	TUCK.44.DCA.0PS.LC	\$374



ACCESSORIES/SERVICE KITS	DESCRIPTION	PART NUMBER	LIST PRICE
Cord Managers	Adhesive horizontal cord manager, qty. 2	CMAD	\$6
	Magnetic horizontal cord manager, qty. 2; chrome finish	CMMM	\$12
	Panel clip cord manager, qty. 2; black finish	CMPC	\$6
Interlinking	30" interlink cord	ICT30	\$12
	adapter kit	23606.000.000	\$125
Power Supplies	18W, 9' cord; black	PS.18.B	\$60
	40W, 10' cord; black	PS.40.B	\$78



ORDERING NOTES

- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- Tamper-resistant outlets are available as a special order. Please contact Inside Sales at 800.526.5658 for a lead time estimate.
- AC receptacles are available with a south orientation only (ground pin down)
- Straight strain relief is standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- The under-mount requires a surface of a minimum .75" thickness
- Interconnect cords are available to connect LightCorp Revo, Voyage, Tino, and Reed Premier fixtures

SUSTAINABILITY

- Made with fully-recyclable powder coated aluminum

CARTON DIMENSIONS

<u>Small model</u>	<u>Medium model</u>	<u>Large model</u>
Width: 11.25"	Width: 23"	Width: 23"
Height: 6"	Height: 6.5"	Height: 6.5"
Depth: 14"	Depth: 14.5"	Depth: 14.5"
Weight: 3 lbs.	Weight: 5 lbs.	Weight: 6.5 lbs.




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT MODEL	Small; 8X AC outlets	ANG.S	\$425
	Medium; 8X AC outlets, 2X 60W DC	ANG.M60	\$550
	Medium; 8X AC outlets, 2X 100W DC	ANG.M100	\$575
	Large; 8X AC outlets, 2X 120W DC	ANG.L120	\$585
	Large; 8X AC outlets, 2X 200W DC	ANG.L200	\$615
2. SPECIFY CORD	6' PVC white	+.6W	
	6' PVC black	+.6B	
	10' PVC white	+.10W	
	10' PVC black	+.10B	

ACCESSORIES & SERVICE KITS

Cord Managers	Adhesive cord manager; qty. 2	21625.000.000	\$12
Interlinking	72" lighting interconnect cord, black	21969.072.002	\$35



ORDERING NOTES

- Includes 2 mounting brackets, 1 cord manager, and 3 wood screws
- Custom lengths available. Please contact Inside Sales at 800.526.5658 for more information and estimate on lead time.
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.

SUSTAINABILITY

- Made with fully-recyclable powder coated aluminum and plastic


CARTON DIMENSIONS

<u>4 outlet model</u>	<u>8 outlet model</u>
Width: 13.5"	Width: 25.5"
Height: 2.25"	Height: 2.25"
Depth: 5.5"	Depth: 5.5"
Weight: 2 lbs	Weight: 2.7 lbs.



CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT MODEL	4-outlet power strip	LNC.12	\$147
	8-outlet power strip	LNC.24	\$200
2. SPECIFY FINISH	black finish; black outlets	+BK	
	silver finish; black outlets	+SV	
3. SPECIFY CORD LENGTH	6' black cord	+6	
	10' black cord	+10	\$10



ORDERING NOTES

- Dual sets of mounting holes accommodate multiple applications
- Includes 4 mounting screws
- Custom lengths available. Please contact Inside Sales at 800.526.5658 for more information and estimate on lead time.
- Cord colors will match finish color of the fixture
- Tamper-resistant outlets available as an option
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.

CARTON DIMENSIONS

<u>21" model</u>	<u>48" model</u>	<u>60" model</u>
Width: 26"	Width: 53"	Width: 65"
Height: 2.5"	Height: 2.5"	Height: 2.5"
Depth: 9"	Depth: 9"	Depth: 9"
Weight: 4.2 lbs.	Weight: 7.6 lbs.	Weight: 9 lbs.



CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SUSTAINABILITY

- Made with fully-recyclable powder coated steel and plastic

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SPECIFY FINISH	white finish; black outlets	LIN.WT	
	black finish; black outlets	LIN.BK	
2. SPECIFY LENGTH	21" length	+21.8T	\$249
	48" length	+48.8T	\$398
	60" length	+60.8T	\$408
3. SPECIFY CORD LENGTH	6' cord	+6	
	10' cord	+10	\$10
4. SPECIFY OPTION	Tamper-resistant outlets	+TR	\$15
If applicable			



ORDERING NOTES

- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- If selecting hardwire option for Nik, please note that the backplate is available in black only
- AC outlets default to south orientation (ground pin down), or can be specified to be rotated north-facing (ground pin up), east-facing (ground pin on the right), or west-facing (ground pin on the left)
- Straight strain relief is standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- AC outlets cannot be custom painted
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- The clamp mount applies to surfaces 0.75"–1.25" thick and does not extend beyond the back edge of the work surface
- The in-surface mount can be mounted within surfaces 0.75"–1.25" thick. For applications requiring a larger depth, please contact Inside Sales at 800.526.5658.

SUSTAINABILITY

- Made with fully-recyclable powder coated aluminum and plastic

CARTON DIMENSIONS

<u>Clamp mount</u>	<u>In-surface mount</u>	<u>Under mount</u>
Width: 14"	Width: 14"	Width: 14"
Height: 6"	Height: 6"	Height: 6"
Depth: 11.25"	Depth: 11.25"	Depth: 11.25"
Weight: 4-4.5 lbs	Weight: 3.4-3.8 lbs	Weight: 3.6-4.2 lbs




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT CONFIGURATION	2-tap: AC outlet and dual USB-A ports	NIK.AC.UA	\$250
	2-tap: dual AC outlets	NIK.AC.AC	\$245
	2-tap: USB-A and 2 USB-C ports	NIK.UCA.UC	\$325
	2-tap: AC outlet, USB-A and USB-C ports	NIK.AC.UCA	\$270
	3-tap: dual AC outlets and dual USB-A ports	NIK.AC.AC.UA	\$275
	3-tap: AC outlet and four USB-A ports	NIK.AC.UA.UA	\$325
	3-tap: dual AC outlets and dual USB-A ports	NIK.AC.UA.AC	\$275
	3-tap: three AC outlets	NIK.AC.AC.AC	\$270
	3-tap: AC outlet, dual USB-A and 2 USB-C ports	NIK.AC.UCA.UC	\$375
	3-tap: dual AC outlets, USB-A and USB-C ports	NIK.AC.AC.UCA	\$310




	DESCRIPTION	PART NUMBER	LIST PRICE
2. SPECIFY FINISH	black	+.BKB	
	silver	+.SVB	
	white	+.WTB	
	ash	+.ASB	
	cayenne	+.CYB	
	clay	+.CAB	
	clementine	+.CLB	
	coal	+.COB	
	cranberry	+.CRB	
	currant	+.CTB	
	dijon	+.DJB	
	eggplant	+.EGB	
	flax	+.FXB	
	goldenrod	+.GOB	
	grape	+.GRB	
	gulf	+.GUB	
	juniper	+.JPB	
	kiwi	+.KWB	
	marine	+.MAB	
	merlot	+.MRB	
	ocean	+.OCB	
	paprika	+.PPB	
	pineapple	+.PNB	
	porcelain	+.POB	
	pumpkin	+.PKB	
	raisin	+.RNB	
	salmon	+.SAB	
	silver sage	+.SSB	
	sky	+.SKB	
	spruce	+.SPB	
	storm	+.STB	
	teal	+.TLB	
	tranquil	+.TQB	



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SPECIFY FINISH	ocean	+.OCB	
	paprika	+.PPB	
	pineapple	+.PNB	
	porcelain	+.POB	
	pumpkin	+.PKB	
	raisin	+.RNB	
	salmon	+.SAB	
	silver sage	+.SSB	
	sky	+.SKB	
	spruce	+.SPB	
	storm	+.STB	
	teal	+.TLB	
	tranquil	+.TQB	
3. SPECIFY OUTLET COLOR <i>If applicable</i>	black outlet	+.BKO	
	linen outlet	+.LNO	
	white outlet	+.WTO	
4. SPECIFY CORD	6' PVC white	+.6W	
	6' PVC black	+.6B	
	10' PVC white	+.10W	\$12
	10' PVC black	+.10B	\$12
	10' woven cord in graphite	+.10GRAPHITE	\$50
	10' woven cord in ivory	+.10IVORY	\$50
	10' woven cord in indigo	+.10INDIGO	\$50
	10' woven cord in yellow	+.10YELLOW	\$50
	6' hardwire	+.HW	\$50
5. SPECIFY OUTLET ROTATION <i>If applicable</i>	south rotation (standard)	+.S	
	east rotation	+.E	
	north rotation	+.N	
	west rotation	+.W	



	DESCRIPTION	PART NUMBER	LIST PRICE
6. ADD MOUNTING	clamp mount	+CM	
	in-surface mount	+.IM	
	under mount	+UM	
7. SELECT OPTIONS	tamper-resistant outlets	+TR	
SERVICE KITS			
Cord Managers	adhesive cord manager; qty. 2	21625.000.000	\$12



ORDERING NOTES

- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- White power supplies are also available. Please call Inside Sales at 800.526.5658 to inquire.
- Connect up to 5 units
- If interconnecting multiple units or with LightCorp task lights and using Angus to power, please contact Inside Sales at 800.526.5658 for assistance calculating maximum wattages.
- The clamp mount applies to surfaces 0.75"–1.25" thick and does not extend beyond the back edge of the work surface
- The in-surface mount is applicable to surfaces 0.75"–1.25" thick. For applications requiring a larger depth, please contact Inside Sales at 800.526.5658.

SUSTAINABILITY

- Made with fully-recyclable powder coated aluminum


CARTON DIMENSIONS

<u>Clamp mount</u>	<u>In-surface mount</u>	<u>Under mount</u>
Width: 10.8"	Width: 10.8"	Width: 10.8"
Height: 4.1"	Height: 4.1"	Height: 4.1"
Depth: 6.75"	Depth: 6.75"	Depth: 6.75"
Weight: 4 lbs	Weight: 3.6 lbs	Weight: 3.4 lbs




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.


	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT CONFIGURATION	1-tap: dual USB-A ports, connects to power supply	NLV.UA20.PS	\$255
	1-tap: dual USB-A ports, connects via interconnect cord	NLV.UA20.IC	\$235
	1-tap: 18W USB-C port, connects to power supply	NLV.UC18.PS	\$275
	1-tap: 18W USB-C port, connects via interconnect cord	NLV.UC18.IC	\$255
	1-tap: 60W USB-C port, connects to power supply	NLV.UC60.PS	\$295
	1-tap: 60W USB-C port, connects via interconnect cord	NLV.UC60.IC	\$270
	2-tap: dual USB-A ports and 18W USB-C port, connects to power supply	NLV.UA20.UC18.PS	\$325
	2-tap: dual USB-A ports and 18W USB-C port, connects via interconnect cord	NLV.UA20.UC18.IC	\$300
2. SPECIFY FINISH	black	+BKB	
	silver	+SVB	
	white	+WTB	
	ash	+ASB	
	cayenne	+CYB	
	clay	+CAB	



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SPECIFY FINISH	clementine	+.CLB	
	coal	+.COB	
	cranberry	+.CRB	
	currant	+.CTB	
	dijon	+.DJB	
	eggplant	+.EGB	
	flax	+.FXB	
	goldenrod	+.GOB	
	grape	+.GRB	
	gulf	+.GUB	
	juniper	+.JPB	
	kiwi	+.KWB	
	marine	+.MAB	
	merlot	+.MRB	
	ocean	+.MRB	
	paprika	+.PPB	
	pineapple	+.PNB	
	porcelain	+.POB	
	pumpkin	+.PKB	
	raisin	+.RNB	
	salmon	+.SAB	
	silver sage	+.SSB	
	sky	+.SKB	
	spruce	+.SPB	
	storm	+.STB	
	teal	+.TLB	
	tranquil	+.TQB	
3. SPECIFY MOUNTING	under mount	+.UM	
	clamp mount	+.CM	
	in-surface mount	+.IM	



ACCESSORIES & SERVICE KITS	DESCRIPTION	PART NUMBER	LIST PRICE
<i>Cord Managers</i>	Adhesive cord manager; qty. 2	CMAD	\$6
<i>Interlinking</i>	72" interconnect cord, black	22198.072.000	\$50
	72" jumper cord, black	19616.072.000	\$25
<i>Mounting</i>	power supply support bracket for wood/laminate application; white finish	20739.000.003	\$34
	power supply support bracket for wood/laminate application; black finish	20739.000.078	\$34
	magnetic power supply support bracket; white finish	18029.000.003	\$34
	magnetic power supply support bracket; black finish	18029.000.078	\$34
<i>Power Supplies</i>	24W power supply	21624.000.000	\$61
	40W power supply	21621.000.000	\$66
	60W power supply	20285.000.000	\$79



ORDERING NOTES

- Each unit Includes two cord managers. Additional cord managers are available for purchase.
- Nik unit available in clamp mount or under mount
- The clamp mount applies to surfaces 0.75"–1.25" thick and does not extend beyond the back edge of the work surface
- AC outlets default to south orientation (ground pin down), or can be specified to be rotated north-facing (ground pin up), east-facing (ground pin on the right), or west-facing (ground pin on the left)
- Straight strain relief is standard. A 90° angle is also available. Please contact Inside Sales at 800.526.5658 to specify.
- AC outlets cannot be custom painted
- Not intended for interlinking. Plugging other power units or extension cords into the AC receptacles may violate your local electrical code.
- Tamper-resistant outlets available as option on power strip

SUSTAINABILITY

- Made with fully-recyclable powder coated steel, aluminum, and plastic


CARTON DIMENSIONS

Width: 23.5"
Height: 5"
Depth: 9.5"




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.


	DESCRIPTION	PART NUMBER	LIST PRICE
1. SELECT POWER UNIT CONFIGURATION	2-tap: AC outlet and dual USB-A ports	NIK.AC.UA	\$250
	2-tap: dual AC outlets	NIK.AC.AC	\$245
	2-tap: USB-A and 2 USB-C ports	NIK.UCA.UC	\$325
	2-tap: AC outlet, USB-A and USB-C ports	NIK.AC.UCA	\$270
	3-tap: dual AC outlets and dual USB-A ports	NIK.AC.AC.UA	\$275
	3-tap: AC outlet and four USB-A ports	NIK.AC.UA.UA	\$325
	3-tap: dual AC outlets and dual USB-A ports	NIK.AC.UA.AC	\$275
	3-tap: three AC outlets	NIK.AC.AC.AC	\$270
	3-tap: AC outlet, dual USB-A and 2 USB-C ports	NIK.AC.UCA.UC	\$375
	3-tap: dual AC outlets, USB-A and USB-C ports	NIK.AC.AC.UCA	\$310
2. SPECIFY POWER UNIT FINISH	black	+BKB	
	silver	+SVB	
	white	+WTB	



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SPECIFY POWER UNIT FINISH	ash	+.ASB	
	cayenne	+.CYB	
	clay	+.CAB	
	clementine	+.CLB	
	coal	+.COB	
	cranberry	+.CRB	
	currant	+.CTB	
	dijon	+.DJB	
	eggplant	+.EGB	
	flax	+.FXB	
	goldenrod	+.GOB	
	grape	+.GRB	
	gulf	+.GUB	
	juniper	+.JPB	
	kiwi	+.KWB	
	marine	+.MAB	
	merlot	+.MRB	
	ocean	+.OCB	
	paprika	+.PPB	
	pineapple	+.PNB	
	porcelain	+.POB	
	pumpkin	+.PKB	
	raisin	+.RNB	
	salmon	+.SAB	
	silver sage	+.SSB	
	sky	+.SKB	
	spruce	+.SPB	
	storm	+.STB	
	teal	+.TLB	
	tranquil	+.TQB	



	DESCRIPTION	PART NUMBER	LIST PRICE
3. SPECIFY POWER UNIT OUTLET COLOR <i>If applicable</i>	black outlet	+BKO	
	linen outlet	+LNO	
	white outlet	+WTO	
4. SPECIFY POWER UNIT CORD	3' PVC white	+3W	
	3' PVC black	+3B	
	6' PVC white	+6W	\$12
	6' PVC black	+6B	\$12
	3' woven cord in graphite	+3GRAPHITE	\$50
	3' woven cord in ivory	+3IVORY	\$50
	3' woven cord in indigo	+3INDIGO	\$50
	3' woven cord in yellow	+3YELLOW	\$50
	6' woven cord in graphite	+6GRAPHITE	\$50
	6' woven cord in ivory	+6IVORY	\$50
	6' woven cord in indigo	+6INDIGO	\$50
	6' woven cord in yellow	+6YELLOW	\$50
5. SPECIFY POWER UNIT AC OUTLET ROTATION <i>If applicable</i>	south rotation (standard)	+S	
	east rotation	+E	
	north rotation	+N	
	west rotation	+W	
6. SPECIFY POWER UNIT MOUNTING	under mount	+UM	
	clamp mount	+CM	
7. SPECIFY POWER STRIP SIZE	13"; four-outlet	+P4	\$145
	15"; five-outlet	+P5	\$160
8. SPECIFY POWER STRIP FINISH AND CORD	white finish; 6' white cord	+6W	
	black finish; 6' black cord	+6B	
9. SPECIFY POWER STRIP OPTIONS	tamper-resistant outlets	+TR	



ACCESSORIES & SERVICE KITS	DESCRIPTION	PART NUMBER	LIST PRICE
Cord Managers	Adhesive cord manager; qty. 2	21625.000.000	\$12

California's Proposition 65 (Prop 65), also called the Safe Drinking Water and Toxic Enforcement Act, is a Right to Know law regarding Californians being able to make informed decisions to protect themselves from chemicals known to cause cancer, birth defects, or other reproductive harm. The law requires that all businesses provide a 'clear and reasonable warning' if one or more listed chemicals may be present within the product, even if in trace amounts. This warning must include at least one chemical present within the product. To comply with this law, a warning will appear on all LightCorp products in the form of a packaging label, in the following format shown at right.

LightCorp or products under our Most Modest label may contain traces of one or more of the 900+ listed chemicals. Exposure to these chemicals may occur during installation and/or use of LightCorp products and may be negligible or well within the "no significant risk" range. However, based upon knowledge regarding the presence of one or more listed chemicals, LightCorp has chosen to provide a warning without conducting exposure levels per product due to its complexity.

Washing your hands after handling these products can reduce your risk of exposure. Exposure can include the following:

- Power supply cords, wiring and other parts made of PVC material may expose you to chemicals including phthalates like DINP, DEHP and/or lead
- Product switches, lens material or other plastic parts, may expose you to chemicals including bisphenol A, phthalates like DINP, DEHP and/or polychlorinated biphenyls (PCB)
- Unpainted galvanized sheet metal parts, present on some underbin products and/or mounting brackets, may expose you to chemicals including lead and/or nickel
- Powder coat paint, although cured during the painting process, may expose you to chemicals including bisphenol A, nickel oxide, 2-mercaptobenzothiazole, 2-methylimidazole, carbon black and/or titanium dioxide. (Exposure to paint chemicals exists only if the paint were to flake or the product was sanded and particles were to become airborne)

For more information, go to <http://www.P65Warnings.ca.gov>.



CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Have questions or need more information on our products?
We're happy to help!

Contact us at (800) 526-5658 anytime Monday through Friday
from 7:30 AM—5:00 PM (EST) for assistance.

FACTORY + HEADQUARTERS

14800 172nd Avenue
Grand Haven, Michigan 49417
insidesales@lightcorp.com
customerservice@lightcorp.com

ONLINE

Website: www.lightcorp.com
Facebook & Instagram: @lightcorp
LinkedIn: [light-corporation](https://www.linkedin.com/company/light-corporation)
Pinterest: [lightcorporation](https://www.pinterest.com/lightcorporation)

