**ORDERING NOTES**

- If automatic shut-off feature is not desired, please specify by contacting Inside Sales at (800) 526-5658
- If a 4000K color temperature is desired, contact Inside Sales at (800) 526-5658 for lead time
- Two adhesive cord managers are included with each fixture. Additional cord managers are available for purchase.
- If interlinking fixtures, refer to the Reed Premier Interlinking Guide for acceptable wattage combinations
- 8" and 30" interlinking cords are included with adder fixtures
- Allow 2" on each end for interlink or power supply plug connection
- A 65-watt power supply is required when interlinking
- Add-on sensor includes 1" end-to-end connector and adds 3" to the total fixture length
- If using a sensor with the fixture, only one sensor is required per string of interlinked fixtures
- Vacancy programming (manual on/auto-off) available as an option in both modular and integrated sensor applications. Contact Inside Sales at (800) 526-5658 for lead time.

SUSTAINABILITY

- Made with fully-recyclable anodized aluminum and plastic
- Energy-saving features such as auto shut-off and dimming included; occupancy sensor available as an option
- Lower power consumption
- Mercury-free LED
- May contribute to LEED points


CARTON DIMENSIONS

<u>17"-31" Fixtures</u>	<u>44" Fixtures</u>	<u>58" Fixtures</u>
Width: 35"	Width: 48.4"	Width: 63"
Height: 2.5"	Height: 2.5"	Height: 2.5"
Depth: 2.5"	Depth: 2.5"	Depth: 2.5"
Weight: 1.1-1.4 lbs	Weight: 2.8 lbs.	Weight: 3.5 lbs.




CALIFORNIA RESIDENTS: The power cord used within this product may expose you to chemicals including Di(2-ethylhexyl) phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

	DESCRIPTION	PART NUMBER	LIST PRICE
1. SPECIFY FINISH	Silver finish	RP.SV	
	Black finish	RP.BK	
2. SELECT FIXTURE OUTPUT, LENGTH AND TYPE	Standard output 17" stand alone fixture	+17.SO.PS18	\$275
	Standard output 17" starter fixture	+17.SO.PS60	\$300
	Standard output 17" adder fixture	+17.SO.ICR	\$215
	Standard output 24" stand alone fixture	+24.SO.PS18	\$348
	Standard output 24" starter fixture	+24.SO.PS60	\$373
	Standard output 24" adder fixture	+24.SO.ICR	\$288
	Standard output 31" stand alone fixture	+31.SO.PS18	\$419



	DESCRIPTION	PART NUMBER	LIST PRICE
2. SELECT FIXTURE OUTPUT, LENGTH AND TYPE	Standard output 31" starter fixture	+31.SO.PS60	\$444
	Standard output 31" adder fixture	+31.SO.ICR	\$359
	Standard output 44" stand alone/starter fixture	+44.SO.PS60	\$567
	Standard output 44" adder fixture	+44.SO.ICR	\$482
	Standard output 58" stand alone/starter fixture	+58.SO.PS60	\$620
	Standard output 58" adder fixture	+58.SO.ICR	\$535
	High output 17" stand alone fixture	+17.HO.PS18	\$320
	High output 17" starter fixture	+17.HO.PS60	\$345
	High output 17" adder fixture	+17.HO.ICR	\$260
	High output 24" stand alone fixture	+24.HO.PS18	\$409
	High output 24" starter fixture	+24.HO.PS60	\$434
	High output 24" adder fixture	+24.HO.ICR	\$349
	High output 31" stand alone/starter fixture	+31.HO.PS60	\$509
	High output 31" adder fixture	+31.HO.ICR	\$424
	High output 44" stand alone/starter fixture	+44.HO.PS60	\$714
	High output 44" adder fixture	+44.HO.ICR	\$629
	High output 58" stand alone/starter fixture	+58.HO.PS60	\$778
3. SPECIFY CORD COLOR	Black cord	+B	
	White cord	+W	
4. SELECT OPTIONS	Integrated occupancy sensor	+IOS	\$140
	Add-on occupancy sensor accessory	+MOS	\$150



ACCESSORIES/SERVICE KITS		PART NUMBER	LIST PRICE
<i>Cord Managers</i>	Adhesive horizontal cord manager, qty. 2	CMAD	\$6
	Magnetic horizontal cord manager, qty. 2; chrome finish	CMMM	\$12
	Panel clip cord manager, qty. 2; black finish	CMPC	\$6
	17" vertical cord manager; white finish	17997.017.003	\$27
<i>Interlinking</i>	1" end-to-end connector	ICR1	\$12
	8" interlink cord	ICR8	\$12
	30" interlink cord	ICR30	\$12
	54" interlink cord	ICR54	\$17
<i>Mounting</i>	Magnetic angle mount; 2 adhesive cord managers	AM	\$18
	Universal mounting brackets, screws, & cord managers; qty. 2 ea.	UMRP	\$18
	Mounting plate for angle mount; white finish *Call to specify length	20335.XXX.003	\$34
	Mounting plate for angle mount; black finish *Call to specify length	20335.XXX.078	\$34
	Wood/laminate power supply support bracket; white finish	20793.000.003	\$35
	Wood/laminate power supply support bracket; black finish	20793.000.078	\$35
	Magnetic power supply support bracket; white finish	18029.000.003	\$37
	Magnetic power supply support bracket; black finish	18029.000.078	\$37
<i>Power Supplies</i>	18W, 9' cord; white	PS18.W	\$60
	18W, 9' cord; black	PS18.B	\$60
	65W, 11' cord; white	PS60.W	\$85
	65W, 11' cord; black	PS60.B	\$85
<i>Sensors</i>	Add-on occupancy sensor -silver finish, black cord	OSRP.SV.B	\$150
	Add-on occupancy sensor -silver finish, white cord	OSRP.SV.W	\$150
	Add-on occupancy sensor -black finish, black cord	OSRP.BK.B	\$150
<i>Wiring Harness</i>	1-way harness: jumper cord and 90W power supply	17881.000.000	\$224
	2-way harness: 4-way splitter, 2 jumper cords and 90W power supply	17882.000.000	\$328
	4-way harness: 4-way splitter, 4 jumper cords and 90W power supply	17883.000.000	\$410
	8-way harness: 8-way splitter, 8 jumper cords and 90W power supply	17884.000.000	\$612